

# POPULAR Computing WEEKLY

35p

20-26 January 1983 Vol 2 No 3

## This Week

### Micro chess

John White looks at the history of chess programs written for popular micros such as the ZX81, Vic20 and Spectrum. See page 12.

### Jupiter Ace revisited

Martyn Sudworth looks at the Ace from a user's standpoint and presents Alien Swarm — a 1K game written in Forth. See page 22.

### Spectrum draw

Nick Wilson shows how to draw thick circles using a hidden function of the draw command on page 26.

### Dragon mix

David Lawrence explains how to mix text and high resolution graphics on screen. See page 25.

★ **STAR**

Flipside on Vic20 by  
Shahid Butt. See

**GAME** ★

## News Desk



## New look for Commodore Pets

COMMODORE gives Pets a new look and taps into Zilog chip technology as the new year gets under way.

The Pet range of micro-computers has been rationalised, following the launch of the new mid-range machine — the Commodore 64 — and the new 'top-of-the-range'

machine — the Commodore 700.

Of the Pet range only the 8032 and 8096 machines will remain, and both will be re-packaged in the futuristic-style housing of the 700 machine. A small number of old-style 4000 Pets will continue to be sold

Continued on page 5

## Spectrum in Las Vegas

TIMEX has announced its plans for the American version of the ZX Spectrum — the TS2000.

Officially launched on January 7 in Las Vegas, two versions of the TS2000 will go on sale in the second quarter of 1983 — a 16K version for £95 and a 48K version for £127.

The TS2000 is virtually identical to its British counterpart. The only differences, apart from NTSC tv compatibility, are those of styling — it is finished in brushed silver rather than black and the colour flash of the Spectrum is replaced by coloured squares.

A new printer was also launched by Timex at the CES Las Vegas show. The company has used Sinclair technology to develop a unit significantly different from the UK's ZX Printer.

Retailing for £63.50 the more bulky TS2040, while still being a dot-matrix thermal printer, produces a 32-column display on 40-column width paper. The unit will go on sale in January.

## Classified

### Computer Swap 01-930 3266

Free readers entries to buy or sell a computer.  
Ring 01-930 3266 and give us the details.

**ZX81 16K** with full-size keyboard, tapes and books, £70. Tel: 01-337 6463 (Surrey)

**16K SPECTRUM** plus printer, unwanted Christmas present, 4 games, tapes, cassette recorder, sound board, worth £250 new, £180. Tel: Oliver on 995 9485.

**JUPITER ACE**, almost new, £75 ono. Tel: 01-946 7626

## Classified

**16K SPECTRUM** + matched cassette player for sale; also books and magazines + games tapes, £150. Tel: 01-671 6348 between 6pm to 8 pm.

**ZX SPECTRUM 16K**. Original box including Horizon tape £100.00. Contact W. Merser, 116 Yarnacott, Thorpe Bay, Essex.

**APPLE II**. Disk drive with controller, new, also disk-based software, cost £550, sell £350, will separate. Tel: Gloucester (0452) 35584 anytime.

**ATARI 800 32K**, 6 months old, with 410 cassette, basic, joysticks, Pac-man, Star Raiders, Flight Simulator, all manuals and more. Total worth £750. Will accept £499. No offers. Tel: 061-941 2377.

## Classified

**DRAGON 32 or TANDY TRS-80 Colour?** Lots of programs — lots of useful hints and information EVERY single month in "RAIN-BOW", an exciting new 200-page magazine from USA. Send £1.95 (plus large 56p s.a.e.) for sample issue to **ELKAN ELECTRONICS** (Dept. PCW), FREEPOST, 11 Bury New Road, Prestwich, Manchester M25 6LZ or telephone 061-798 7613 (24-hour service).

**ZX81 16K**, computer keyboard case, £65 ono. Grundy Rambotham (070682) 5646.

**DRAGON 32** with joysticks, 3 months old, £170. Tel: Mr Niven on Harlow (Essex) 37687.

**ZX81**, Sinclair-built work station, leads, manual, software, book, £50 ono. Tel: 01-402 9787.

## Classified

### ATARI Customer Support

Take advantage of  
your software skills  
and enthusiasm — see  
our advertisement  
inside

Continued on page 28

★ ★ **BATTLE STAR IS HERE** ★ ★



# ROMIK SOFTWARE

24 Church Street, Slough SL1 1PT. Telephone: Slough (STD 0753) 71535

## SHARK ATTACK For unexpanded Vic20

You are in shark-infested waters after being thrown overboard from a pirate ship. Your only protection being an atomic net which you trail behind you, trying to cover all the visible ocean and ensnare the sharks at the same time. Beware of stopping or covering your tracks for too long, if you do, then the sharks will escape and come after you. Watch out for the ever increasing deadly octopuses (sometimes the sharks will eat part or all of one!)

## MOONS OF JUPITER

For expanded Vic20, 3K, 8K or 16K

You are the Commander of a fleet of destroyers looking on from the safety of a mother ship, you send in one destroyer at a time to blast a passage through the MOONS OF JUPITER. Your destroyers have to dodge, and blast the UFOs... Watch out for the Golegs they can smash your destroyers, but you cannot harm them.

## A Machine Code Arcade Quality Game

### SEA INVASION Unexpanded Vic20

Fight off the attacking sea creatures for as long as you can. Shoot the whale for a surprise score, watch out for the crabs, starfish and octopuses.

## MARTIAN RAIDER For unexpanded Vic20

Skim as close as you dare to the surface of the planet, devastating the Martian cities, destroying ammunition dumps (gaining more time), shooting down the ground-to-air missiles.

## SPECIAL OFFER... C4 COMPUTER CASSETTES

£2.50 for 10; £20 for 100

Available post free from the above address only

## ROMIK PROMISE A MINIMUM OF ONE NEW GAME EVERY MONTH



## MULTISOUND SYNTHESIZER For the unexpanded Vic20

The Vic Multisound Synthesizer is very flexible and can be played in more ways than can ever be explained here, to create music and special effects. For example, create any tune, up to 255 notes (after following appropriate instructions), then press "F1" or "F3", then key "9" and enjoy the added effect. Now hit "+", listen to the difference. For a surprise — hit "—". Now add a melody over the top — hit key "8" then "7" — now play a melody, or experiment. Have fun!

## MIND TWISTERS

For unexpanded Vic20

Four games to stretch your brain. Blackjack, Decipher, Four Thought and Teaser are our computerised versions of very popular home games and will test your mental agility and skill for many a long hour.

## SPACE ATTACK

For the unexpanded Vic20

Space Attack is a game of skill. You as the pilot of an intergalactic battleship have to fight your way through wave after wave of various alien spaceships.

ALL PROGRAMS ARE £9.99

## Machine Code Arcade Quality Game STRATEGIC COMMAND

Our first game for the Dragon. A strategy game for two players. Will keep you active for many hours. Air, sea and land battles!

ALL PROGRAMS ARE £9.99

OUR GAMES ARE AVAILABLE FROM ALL  
GOOD HOME COMPUTER STORES



7 LEVELS, RAPID FIRING, LASER SHIELD, MOTHER SHIP, RE-FUELLING, SMART BOMBS, 3 WAVES, HIGH SCORE SPECTRUM VERSION HAS SOUND AND GRAPHICS. ONLY £4.50. FOR SPECTRUM OR 16K ZX81. P.C.W. "ONE OF THE BEST SINCLAIR GAMES YET", Y.C. "THE ACTION IS FAST."

## AND NOW SPECTRUM SCRAMBLE

"CONDITION RED", M/CODE ACTION, 8 DIRECTIONAL KEYS, MISSILES, FUEL DUMPS, METEORS, USER GRAPHICS, SOUND, MOVE, FIRE AND BOMB AT THE SAME TIME. HIGH SCORE, FAST ACTION AND DELIVERY. £4.95

"ZX81 CONDITION RED", ZX81 VERSION, MOVE UP/DOWN, FIRE LASERS, FAST M/CODE, HIGH SCORE TABLE, BY ARCADE GAMES FOR ZX81 USERS. £3.95.

## DRAGON, ZX81, SPECTRUM PROGRAMS WANTED

WORK FORCE. 140, WILSDEN AVENUE, LUTON, BEDS.

## FOR THE FIRST TIME ANYWHERE IN THE WORLD!

# ASTROLOGY ON YOUR SINCLAIR ZX81 (16K) AND SPECTRUM

USER PROMPTING PROGRAMS: merely key in birth information as requested by the computer — READ OUT (and/or PRINT OUT) what is normally the result of many hours of painstakingly tedious and complex mathematical calculations using tables, ephemeris, etc.

Cassette I ZODIAC I ONLY £10.00

makes truly AVAILABLE AT YOUR FINGERTIPS

THE SIDERAL TIME OF BIRTH.

THE ASCENDANT AND MIDHEAVEN in Sign, Degrees, Minutes, and Seconds for EQUAL HOUSE SYSTEM.

THE SIGNS AND POSITIONS OF THE HOUSE CUSPS in Sign, Degrees, and Minutes for the PLACIDEAN SYSTEM.

THE SUN AND MOON POSITIONS in Sign, Degrees, Minutes and Seconds.

ALL THE PLANETS POSITIONS in Sign, Degrees and Minutes. THE LUNAR NODE — THE PART OF FORTUNE — THE VERTEX, AND A HOST OF OTHER BIRTHCHART INFORMATION AT THE TOUCH OF A KEY.

Cassette II ZODIAC II ONLY £8.00

GIVES YOU THE ASPECTS

Other programs in course of preparation include: PROGRESSING THE HOROSCOPE; RECTIFICATION OF THE BIRTH TIME, etc.

## STELLAR SERVICES

8 FIR TREE VALE, LEEDS LS17 7EY

Tel: (0532) 692770

## BUTTERCRAFT SOFTWARE

14 Western Avenue, Riddlesden, Keighley, Yorks. ENGLAND

## QUALITY SPECTRUM SOFTWARE LET AUTO-SONICS PUT EXCITING, COLOURFUL SOUND EFFECTS INTO YOUR PROGRAMS!


- You design the sounds using 8-function on-screen Control Panel and your ears!
- Auto-Sonics turns your sound-designs into program lines that will reproduce them exactly — time after time
- 26 built-in effects... from rayguns to raindrops... engines to animals... use them just as they come or make them the starting point for thousands of new effects
- All sound-effects can be inserted anywhere into your own. Programs to bring them instantly alive — it's child's play! Cassette/Instructions only £4.99

## GULPMAN

Superb arcade-quality version of shh... you-know-what! Fast machine code... Full colour and sound... 15 mazes... 9 speeds... 9 grades... Hi-score, etc. ("An extraordinarily good programme — well worth the price," PCW Magazine.) Cassette with full-colour insert £5.95



7 Speeds... Laser Shield... Mother-ship Re-fuelling... Smart bombs... Hi-score... Sound... Hi-res colour graphics ("One of the best Sinclair games yet," YC). Only £4.50



Full machine code, Hi-res colour graphics... Sound... 8-direction controls... Missiles... Bombs... Fuel dumps... Meteors... Hi-score, etc. Super Arcade Action for only £4.95

## AMPLIFY YOUR SPECTRUM (OR ANY COMPUTER) FOR ONLY

£4.99  
+ 50p p&p



- \* Use cassette lead to connect to your computer for loud, clear amplification of all sound output
- \* Unplug lead and it's a neat pocket radio with smart wrist-strap. Uses one PP3 (not supplied)

TRS80 and Video Genie owners! Ask for our list of Guaranteed Quality Software, including new for '83 Frogger-Plus, only £4.99

14 WESTERN AVE., RIDDLESDEN(W), KEIGHLEY, YORKS, ENGLAND

Please Deduct 50p Discount second and subsequent orders



## The Team

### Editor

Brendon Gore

### News Editor

David Kelly [01-930 3271]

### Sub-editor

Ninette Sharp

### Editorial Secretary

Theresa Lacy

### Advertisement Manager

David Lake [01-839 2846]

### Advertisement Executive

Alastair Macintosh [01-930 3260]

### Managing Editor

Duncan Scot

### Publishing Director

Jenny Ireland

*Popular Computing Weekly*,  
Hobhouse Court, 19 Whitcomb Street,  
London WC2

Telephone: 01-839 6835

Published by Sunshine Publications Ltd.

Typesetting, origination and printing by  
Chesham Press, Chesham, Bucks

Distributed by S M Distribution  
London SW9. 01-274 8611. Telex: 261643

© Sunshine Publications Ltd 1983

### Subscriptions

You can have *Popular Computing Weekly* sent  
to your home:  
UK Addresses

26 issues ..... £9.98  
52 issues ..... £19.95

### Overseas Addresses

26 issues ..... £18.70  
52 issues ..... £37.40

### How to submit articles

Articles which are submitted for publication  
should not be more than 3,000 words long. The  
articles, and any accompanying programs,  
should be original. It is breaking the law of  
copyright to copy programs out of other maga-  
zines and submit them here — so please do not  
be tempted.

All submissions should be typed and a double  
space should be left between each line. Please  
leave wide margins.

Programs should, whenever possible, be  
computer printed.

We cannot guarantee to return every submit-  
ted article or program, so please keep a copy. If  
you want to have your program returned you  
must include a stamped, addressed envelope.

### Accuracy

*Popular Computing Weekly* cannot accept any  
responsibility for any errors in programs we  
publish, although we will always try our best to  
make sure programs work.

## This Week

### News

5

Timex strike fears.

### Letters

7

Expanding the Dragon.

### Flipside

8

A new game for Vic20 by Shahid Butt

### Street Life

11

David Kelly looks at some of the recent  
micro fairs.



### Reviews

12

John White looks at the history of micro  
chess.

### Open Forum

14

Six pages of readers' programs.

### Battlestar

21

Win a ZX Spectrum.

### Programming

22

Martyn Sudworth takes a user's eye  
view of the Jupiter Ace.

### Dragon

25

The Working Dragon — mixing text and  
graphics.

### Spectrum

26

Line drawer by Nick Wilson.

### Peek & poke

27

Your questions answered.

### Competitions

31

Puzzle, Ziggurat, Top 10, Losers.

## Editorial

Sord is a most unlikely Japanese  
company. Founded in 1970 by  
Takayoshi Shiina, with an initial capital  
investment of just £1,790, Sord has  
become one of Japan's leading micro-  
computer manufacturers with a multi-  
million pound turnover.

Most companies in Japan are either  
small family businesses or giant cor-  
porations like Hitachi and Sony. Tradi-  
tionally, most Japanese employees  
expect to stay with one company for  
life. The way to the top is via a  
carefully structured promotional lad-  
der that takes years to climb.

Takayoshi Shiina is, in Japanese  
terms, a maverick. Not content with  
establishing his own company, he has  
gathered together some of the top  
hard- and software brains in Japan.  
Perhaps his greatest coup was in  
persuading Toshiaki Kamijo, the man  
behind the Sony Walkman, to join  
Sord in November 1981.

While the practice of head-hunting  
is well established, both in the UK and  
the USA, it is virtually unknown in  
Japan.

Shiina's activities may not have  
endeared him to his fellow Japanese  
competitors, but they have resulted in  
a company that bears comparison  
with both Apple and Sinclair. With a  
PAL version of the Sord M5 micro due  
to be released in the UK shortly, I  
believe we may yet hear more of Sord.

## Next Thursday

Can you escape from the green blocks  
that threaten to surround you? Will you  
reach the flashing square that could  
save you? Find out in *Computer Sur-  
round*, a new game for Spectrum by  
David Oxley.

## SPECIAL OFFER TO SCHOOLS

### £5 OFF A SUBSCRIPTION TO POPULAR COMPUTING WEEKLY

For a limited period we are offering a £5 discount to subscribers from schools in the United Kingdom.

#### Schools Offer

*Popular Computing Weekly* can be sent to your school every week. It does not matter whether you are a  
pupil or a teacher.

I would like to take advantage of this special offer. Please send me:

☐ 52 issues at £14.95 (normally £19.95) ☐ 26 issues at £7.48 (normally £9.98)

Please tick the relevant box.

I enclose my cheque to *Popular Computing Weekly* for .....

Name .....

Position at school .....

School .....

School Address .....

Home Address .....

Please send this form, and cheque, to *Popular  
Computing Weekly*, Subscription Department,  
Hobhouse Court, 19 Whitcomb Street, London  
WC2 7HF.



# Chameleon Computer Games

## ATARI & SPECTRUM 16k

Announcement to all Customers of:

### C.P.S. GAMES

Dear Customers,

Chameleon Software Publishing Ltd is pleased to announce that it has now acquired the sole publishing and distribution rights for C.P.S. games.

We hope that C.P.S. customers will continue to order games from us, especially when our 1983 games, still at present in the 'test tank' become available.

To new customers... Welcome, you'll soon be a regular, once you've tried your first Adventure game from us.

The delays in C.P.S. deliveries caused by the transfer of their files and order books to our offices should now have been dealt with, but should anyone still be waiting for their order please do not hesitate to contact us.

Assuring you of our best attention at all times,

Alexander Lepling

A. GOULDING  
Sales Co-ordinator.



### ADVENTURE GAMES

TOWER OF BRASHT : Release your companion from the terrible Kharrs, a role playing game, 1-7 players. £9.50

GHOST OF RADUN : Having discovered the treasure can you escape from the forces of the supernatural ... £9.50

WIZZARD OF SHAM : The wizzard of the temple must be found, if you want to live on ..... £9.50

THE SEVEN CITIES OF CIBOLA : Is the Legend true, It may take all your courage, and your life, to find out. £9.50

### WAR GAMES

KING ARTHUR : 6th Century England, become Arthur and plan your strategy to overcome marauding Saxons. £9.50

BATTLE OF THE BULGE : Ardennes, 1944 . The famous "Von Rundstedt" offensive ..... £9.50

### CHILDRENS GAMES

PETER RABBIT SERIES :  
Peter Rabbit and the Magic Carrot ..... £4.50

TUMMY DIGS SERIES :  
Tummy Digs goes shopping ..... £4.50

Please add 50p P&P for each order

Send Cheques or P. O's payable to CHAMELEON COMPUTER GAMES at ;  
LYNTONIA HOUSE 7-9 PRAED ST, LONDON W2 1NJ Telephone 01 402-7270

Part of CHAMELEON SOFTWARE Publishing Limited



## SPECTRUM SOFTWARE

**IQ TEST.....£5.75**

How intelligent are you? 2 separate tests give an accurate assessment of your abilities

**THE JOKER.....£5.75**

Hundreds of rib tickling puns and jokes coupled with mind blowing graphics. Great for parties!!

Trade enquiries welcome: Orders despatched by return

PRICES INCLUDE POST & VAT. ALL PROGS 16 OR 48K.

# Flowchart LTD

PHONE  
(0933) 650073

DEPT 1  
62 HIGH STREET  
IRTHLINGBOROUGH  
NORTHANTS NN9 5TN



\*SPECTRUM MONITOR  
\*SPECTRUM EDITOR/  
ASSEMBLER  
\*ZX81 SCREEN KIT 1  
\*ZX81 ZX-MC \*ZX81 RELOAD

**FAST MAIL ORDER-SEND TODAY!**

**SPECTRUM MONITOR. Machine Code Debug/Disassembler**  
• Enter, Run, Debug machine code programs. • Compatible with Basic • Breakpoints and Registers Display • Disassembly to screen and/or ZX Printer • 16K and 48K versions on one cassette + 30 page manual. £7.50

**SPECTRUM EDITOR/ASSEMBLER. A powerful and essential machine code programming aid.**  
• 16K & 48K on same cassette with full documentation. Major features include:  
EDITOR with Auto Line Numbering: 40 Column screen display, tabulated into fields for easy reading: 5 character Label Names: simple Line Editing and Cursor Control: SAVE/LOAD Text Buffer to cassette: output to ZX PRINTER.

**TWO-PASS ASSEMBLER** accepts all 280 mnemonics (plus many unpublished mnemonics): Decimal or Hex numbers: simple arithmetic on operands: Assembler Directives — ORG, END, DEFB, DEFW, DEFL, EQU, DEFM.

**WE CANNOT FULLY DESCRIBE THIS IMPORTANT UTILITY HERE, AND ASK YOU TO SEND A S.A.E. FOR COMPLETE DETAILS OF THIS AND ALL OUR PROGRAMS. £8.50**

**ZX81 SCREEN KIT 1. More power to your screen in all your Basic programs**  
• BORDERS any size, anywhere on screen. SCROLL in all 4 directions. CLEAR and REVERSE PART OF SCREEN. FLASHING CURSOR anywhere on screen — simulates INPUT. DATA FILES SAVE AND LOAD Basic variables: Double Speed. 880 bytes machine code for INSTANT RESPONSE. Becomes part of Basic Program. £5.70 4K to 64K.

**ZX81 ZX-MC. Machine Code Debug/Monitor**  
• ENTER, RUN, DEBUG machine code programs • SAVE, LOAD, VERIFY at double speed • BREAKPOINTS and REGISTERS DISPLAY • Self contained — cannot be used with Basic • Cassette plus 30 page manual. £7.50 4K to 64K

**ZX81 RELOAD. Machine Code Debug/Monitor**  
• A version of ZX-MC without the Save/Load/Verify facility • Compatible with Basic • CREATE A REM LINE of any length • BREAKPOINTS and REGISTERS DISPLAY • Cassette plus 30 page manual. £6.95 16K to 64K

**SEND S.A.E. NOW FOR DETAILS**  
6 Corkscrew Hill, West Wickham,  
Kent BR4 9BB.

Prices include VAT & P&P

PICTURESQUE  
PICTURESQUE  
PICTURESQUE  
PICTURESQUE



## New moves

Continued from page 1  
for use in education.

The new style 8000 series machine will be available in January. The 8032 (32K) is priced at £995 plus VAT. The 8096 (96K) costs £1,195 plus VAT.

Commodore has also announced a five-year shared technology agreement with Zylog, the US chip manufacturer.

This gives Commodore access to 16- and 32-bit know-how. Zylog's Z8000 chip, which can support CP/M 86, has been used to develop a 16-bit second processor card for Commodore's new 700 machine.

## Commodore 64K portables

COMMODORE has announced a new range of portable computers based on the Commodore 64 machine.

Planned for launch in Britain in May, three versions of the new micro will be available.

The basic model, featuring 64K Ram, 5-inch screen with black and white display, and single 170K disc drive, is expected to sell for around £630.

The most advanced of the three models, with 64K Ram, 5-inch full-colour display and twin 170K disc drives, will sell for about £950.



## Honours List award

ALAN BENJAMIN, Chairman of the IT '82 Committee, has been awarded an OBE in the New Year Honours List.

He is currently Communications Director for the CAP software group. He has worked extensively in the computer industry — as a founder of SPL International, as Director General of The Computing Services Association and as Director of Corporate Communication at ICL.

# Sinclair and the French connection

SINCLAIR may switch production of his ZX81 and Spectrum microcomputers to France, if Timex's Dundee plant goes on strike.

Last week Timex announced that it is to cut 1,900 jobs at Dundee, mainly within its watches division. Despite a warning from the US-owned company that any labour disruption would lead to closure of the whole plant, the 4,000 Dundee workers narrowly voted in favour of strike action if any compulsory redundancies are made.


Although the planned job losses do not affect computer manufacture, any industrial action could have serious implications, and Clive Sinclair reacted sharply to news of the vote.

"If the threat of strike action is not removed in discus-

sions between management and unions, and a full strike appears inevitable — which would affect our production — we will move our business elsewhere, probably permanently," he said on Wednesday.

"Accordingly, we have identified new sources of supply which would ensure complete continuity of production levels and enable us to guarantee supplies to all our customers."

One of the new sources of supply is thought to be Fralsen, an electronics company based in Besancon, France. Fralsen is owned by reclusive Norwegian businessman Fred Olsen — a shipping magnate who also controls Timex through a major shareholding in Nimslo, and is thus familiar with both Sinclair and his products.



## Olivetti spark printer for Acorn

ACORN computers has adopted the Olivetti printer for use with its microcomputers.

The printer, called the JPIOP, uses the non-impact 'spark ink-jet' printing method. Minute particles of the carbon print rod are 'spark' transferred to the paper through a 7 x 7 dot matrix. In this way the print head has no moving parts, reducing print noise and increasing reliability.

The machine can accept either 8 or 9 inch (pin-to-pin width) plain roll or continuous paper.

The JPI bi-directional printer has a 96 ASCII character

set formatted either as 80, 96 or 132 columns. Double width and double height characters are possible.

In high-resolution plotting mode the printer is dot-addressable and has a resolution of 110 x 216 pixels per inch (horizontal x vertical). Other graphics modes include reverse and zoom.

The Acorn JPIOP prints at 83 characters per second (50 lines per minute) and has a shortest-path seeking capability.

The unit comes complete with Centronics interface and 1K onboard printer buffer, priced at £395 plus VAT.

## Waiting for Oric

AS Oric's hardware production hits a problem, plans of extended software for the machine have been announced.

It now seems that there will be no 32K version of the Oric 1. Difficulties in finding a suitable direct chip replacement have been blamed for the decision to shelve the mid-range machine only six weeks after it was announced.

Meanwhile further problems — particularly with the colour display (see the review, *Popular Computing Weekly*, January 13) — have delayed production of the first 16K and 48K machines as the order back-log builds up.

On the software side there is some good news. Tansoft, the software development division of Tangerine, has been contracted to produce a range of material for the Oric.

An upgraded Rom providing Extended Basic is planned. Priced at £34.50 it will give the machine commands such as *Usr*, *Proc*, *If-Then-Else* and *Do-Until*.

The Forth cassette, promised free with every 48K machine sold, should be available in February.

Also being developed is a range of games and business material. Oric Chess, Oric Lander and Zodiac (an adventure game), 3-D Noughts and Crosses and a multi-game pack (five games) are scheduled for March, priced around £6. On the business side, a Database Management program (48K) is being written, which will cost around £20.

## New micro from Atari

ATARI has announced preliminary details of its new generation of microcomputers.

The first new computer is the Atari 1200XL, an upgraded Atari 800 machine with 64K Ram, expected to sell for around £575.

Software and peripherals available for the Atari 400 and 800 machines will be compatible with the new computer.

At the same time as details of the 1200XL were released in the US, the UK price of the Atari 800 machine was cut from £499.95 to £399.99.



## 6



# LETTERS

## Not if you don't hammer them

I have recently purchased a Vic20 and a Jellymonsters game which I find very good. However, could you please tell me if continued pressing of the same four keys, to move the gobbler, will wear these keys out? I have bought a joystick, but I find it very hard to use and slower in response than the keys.

Jane Granger  
8 Limes Avenue  
Elm  
Nr Wisbech  
Cambridgeshire

One of the advantages of the Vic20 is its full-size, typewriter style, keyboard. It should stand up to repeated key presses without much difficulty, providing you do not hammer the keys.

## Programmed for retirement

I have always wondered what astronauts do after they retire from NASA. Now I know — they write programs for Spectrums and send them to *Popular Computing Weekly*.

PS *Lunar Lander* by Gordon Cooper was very good.

David Hartley  
er... I mean Neil Armstrong  
17 Towers Way  
Leeds

West Yorkshire LS6 4PJ

## Expanding the Dragon

Dragon users may like to try expanding their memories, at no extra cost to themselves. If you are not using Hi-res, then enter *Pclear* 1 immediately after switching on your machine. This increases the space available for data and programming by 4.5K (more than the Vic20's user available memory).

However, although this command will work if used in the first line of a program, two problems may occur:

a) The memory will only be increased after the program is Run. Thus the extra space is only available for variables and files loaded from tape or keyboard, not from the program.

b) A more serious problem is that any program which uses Hi-res commands sets the de-

fault *Pclear* 4. After this, or any other *Pclear* command, the Dragon rejects *Pclear* 1 as an error. Also, before using the "memory expanding" program, you must first switch off the Dragon if you have used a Hi-res program previously (even manual reset does not seem to work).

David Markwell  
39 Chequers Park  
Wye  
Ashford  
Kent

## Linking up for good sound

While reading your November 11 issue, I read A Laird's letter about amplifying the ZX Spectrum. I tried this out on my tape cassette and it worked, albeit with a lot of interference. But, as A Laird said, "what do you want for nothing?"

I then had an idea — why not try my cassette on my Philips stack system? I tried this by making up a lead with the standard ZX jack plug and a standard Philips jack plug (the two jack plugs cost 70p and a length of two-core cable was 36p). I then soldered them together and plugged one end into the Spectrum mic socket and the other into the mic socket of my Philips stack system.

I was amazed at the sound that came out — I could have the bleeps as low as I liked or as high as my speakers are capable of, which is 40 watts per channel. There is no background noise at all. As most people have a hi-fi system, they may like to try this out.

Michael Jeal  
30 Cherry Road  
Shrublands Estate  
Great Yarmouth  
Norfolk

## A bug much admired

With reference to Spectrum "bugs", I have encountered difficulties in using the *In* function to read the keyboard as suggested in the manual (page 16).

There appear to be two separate causes of the problem, the first being illustrated by the program below:

```
10 BORDER 0 : PAPER 0 : INK 7 :
   CLS
20 PRINT AT 0,0 : IN 32766
30 GOTO 20
```

This should give 255 on screen with reducing values down to 239, depending on which keys are pressed in the right-half of the lower row. In fact this returns 191 with no keys pressed and appropriate reductions when keys are pressed. This suggests that bit 6 of the byte read, which indicates the state of the ear-phone socket, is being held at 0. Interestingly, if the *Border* 0 command is now deleted, the correct figure of 255 is produced. Any explanations?

The second problem appears when a program is *Saved* line 1 in order to make it auto run on loading. Once again, the value of 191 is returned by the *In* function.

I telephoned Sinclair Research with a query about this problem and was told that the only reason they could think of was that my tape recorder was giving a signal at the earphone socket when not running. In pursuit of this idea I tried again and unplugged all the cassette leads after loading and, you guessed it, it still gives 191. The peculiarity of this effect is that if I break into the program then enter *Run*, the value returns to 255.

In case this was just a one off problem, I prevailed upon a friend to try the same thing on his machine and it behaved in exactly the same way. Has anybody an explanation of these problems or does anybody have a machine that does not produce these results? The only thing I have not tried is to run the above on a new style pcb machine as both machines tested were from the original batch requiring the plug-in board for expansion.

I would be grateful for any suggestions as I find this function much better to use than *Inkeys*, in that it will read

more than one key pressed together and does not require as much error trapping.

M R Lows  
20 Awelfryn  
Amlwch

Gwynedd, LL68 9DG

## Improvements by renumbering

I would like to thank A J Clavier (Letters, September 30) for his improvements to the Spectrum renumber program. But, I should point out that there is a misprint in his corrections — the 299 in line 9967 is really a 229.

While reading his letter, I thought that there were several other situations apart from *Goto*, *Gosub* and *Restore* that needed renumbering: namely *Run*, *List* and *Llist*, all of which can take a line number after them. If used in a program being renumbered, line 9967 should now read:

```
9967 IF PEEK I 229 OR PEEK I 240
OR PEEK I 255 OR PEEK I 247 OR
PEEK I 236 OR PEEK I 237 THEN GO
SUB 9971.
```

I am confident that this is the final useful improvement that can be made, until someone converts the whole program to machine code.

Bill Longley  
388 Ipswich Road  
Colchester  
Essex CO4 4EX

## Grid printing for graphics

Below is a little program for all those Spectrum owners with printers who do not know what to do with them. The routine prints out a grid for defining user-defined graphics.

Andrew Cleminson  
40 Darrington Drive  
Warmsworth Doncaster  
South Yorkshire DN4 9LF

```
1 REM UDG GRAPHICS GRID
2 FOR N=0 TO 7: READ A: POKE
  USR "A"+N,A: NEXT N
3 DATA 255,129,129,129,129,12
  9,129,255
10 FOR M=1 TO 10
11 FOR N=0 TO 7: LPRINT N; "
  "; " "; " "; " "; " "; " "; "
  "; " ": NEXT N
12 LPRINT
13 NEXT M
```



# Flipside

A new game for Vic20 by Shahid Butt

**F**lipside is a fast moving graphics game, which requires quick reactions. You are in charge of a ball which is continually moving around the screen. Pressing the keys Q,W,E,A,D,Z,X and C changes the direction but not the speed of the ball.

The letters of the alphabet appear in random positions on the screen. You must use the control keys to guide the ball over the letter. When a letter is successfully "hit", it disappears and another letter appears elsewhere on the screen.

The object of the game, which runs on an unexpanded Vic20, is to "hit" all the letters of the alphabet within the time limit of two minutes and 30 seconds. If this proves too difficult, you can make the game easier by changing the figure 230 in line 170 to a higher number such as 500.

There are five skill levels which draw mazes of varying complexity. The more complex the maze, the more difficult it is to guide the ball to the letters.

Please note that this program was listed by a printer linked to a Pet computer. The special symbols used to indicate the colours have therefore been omitted. Instead the appropriate colours have been spelt out in square brackets in the following lines — 40,55,80,95,100,365,380,385 and 395.

## Program notes

Lines 25-30 set up the variables.

Lines 80-85 ask which skill level you require (1-5).

Lines 140-175 provide the continuous ball movement, carrying out all the necessary rebounds

when the ball reaches the edge of the screen.

Lines 180-220 check if a particular key has been pressed for changing the ball movement.

Lines 230-280 provide the ping as the ball hits the side of the screen. These lines also direct the ball in the opposite direction.


Lines 285-300 remove the letter from the screen once the ball has hit it.

Lines 305-315 stop the game and tell the player that his time is up. This time check is carried out in line 170 — the number 230 in this line indicates the time limit of two minutes and 30 seconds.

Lines 370-470 print out the keyboard controls for the ball movement.

Lines 425-600 are the subroutines for printing out the various skill levels.

Lines 605-640 hold the main subroutine for printing the border round the screen so that the ball can bounce off it.





```

5 REM * PING PONG #1 *
10 REM * SHAHID BUTT *
15 REM * <C> 10/10/82 *
20 POKE36879,10
25 TL=7680:TR=7701:BL=8164:BR=8185
30 A=1:B=81:C=32:E=128:AA=30720:SP=36879
35 POKESP,221
40 PRINT"[BLU]00000000"
45 PRINT"0000 PING PONG#1 "
50 PRINT"0000 "
55 PRINT"00[GRN] INSTRUCTIONS (Y/N) ?"
60 GETA$:IFA$="Y"THEN GOSUB375:GOTO75
65 IFA$="N"THEN75
70 GOTO60
75 POKESP,93
80 PRINT"[BLK]0000 ENTER SKILL LEVEL
1 - 5"
85 INPUTSK$:IFSK%<10RSK%>5THEN80
90 POKESP,170
95 PRINT"[RED]00 YOU HAVE 02 MINS AND
30 SECS"
100 PRINT"0000 PRESS ANY KEY TO PLAY
00000000[RED]PING PONG#1[BLU]"
105 POKE198,0:WAIT198,1:POKE198,0
110 GOSUB425
115 REM * START *
120 TI$="000000"
125 BA=INT(506*RND(1))+TL:IFPEEK(BA)<>
CTHEN125
130 IF(BA+A)>=4348THENLE=INT(252*RND(1))
+TL:GOTO140
135 LE=INT(252*RND(1))+4348
140 IFPEEK(LE)<>32THEN130
145 E=E+1:IFE=155THEN320
150 POKELE,E:POKELE+AA,LT
155 IFPEEK(BA+A)=ETHEN285
160 IFPEEK(BA+A)<>CANDPEEK(BA-A)<>CTHEN180
165 IFPEEK(BA+A)<>CTHEN230
170 IFVAL(TI$)=230THEN305
175 POKEBA,C:BA=BA+A:POKE(BA),B:
POKE(BA+AA),BB
180 GETM$:IFM$=""THEN155
185 IFM$="W"THENA=-22:GOTO155
190 IFM$="D"THENA=1:GOTO155
195 IFM$="A"THENA=-1:GOTO155
200 IFM$="X"THENA=22:GOTO155
205 IFM$="Q"THENA=-23:GOTO155
210 IFM$="E"THENA=-21:GOTO155
215 IFM$="Z"THENA=21:GOTO155

```

```

220 IFM$="C"THENA=23:GOTO155
225 GOTO 180
230 REM * PING *
235 FORP=1T05:POKE36875,200:NEXT:
POKE36875,0
240 IFA=1THENA=-1:GOTO155
245 IFA=-1THENA=1:GOTO155
250 IFA=22THENA=-22:GOTO155
255 IFA=-22THENA=22:GOTO155
260 IFA=210RA=-21THEN275
265 A=21:IFPEEK(BA+A)<>CTHENA=-21
270 GOTO155
275 A=23:IFPEEK(BA+A)<>CTHENA=-23
280 GOTO155
285 REM * EXPLOSION *
290 POKE(BA+A),42:POKE(BA+A+AA),EX%
295 FORP=200T0255STEP2:POKE36875,P:NEXT:
POKE36875,0
300 POKE(BA+A),C:GOTO130
305 REM * TIMES UP *
310 FORX=1T040:PRINT:NEXT
315 PRINT" YOUR TIME IS UP":GOTO350
320 REM * FINISH *
325 MI$=MID$(TI$,3,2):SE$=RIGHT$(TI$,2)
330 FORX=1T040:PRINT:NEXT
335 PRINT"00 YOU TOOK"
340 PRINT"00 MI$ MINS AND SE$ SECS.
00 TO FINISH"
345 PRINT"0000 SKILL LEVEL SK%
350 PRINT"0000 ANOTHER GO (Y/N)"
355 GETA$:IFA$="Y"THEN30
360 IFA$<>"N"THEN355
365 POKESP,27:PRINT"0000[RED]O.K.
[BLU]BYE":END
370 REM * INST *
375 POKESP,106
380 PRINT"00000000[CYN]00CONTROLS"
385 PRINT"0000[WHT]000000 W E"
390 PRINT"000000 \ /"
395 PRINT"000000A - [RED]0[WHT] - D"
400 PRINT"000000 / \ "
405 PRINT"000000 X C"
410 PRINT"00000000 PRESS SPACE"
415 GETA$:IFA$<>" "THEN415
420 RETURN
425 REM * SKILL *
430 ONSK%GOTO440,460,500,540,575
435 GOTO080
440 REM * L 1 *

```

```

445 TP=160:RI=160:BO=160:LF=160:CL=2:SC%=25:LT=2:BB=5:EX%=2
450 GOSUB605
455 RETURN
460 REM * L 2 *
465 TP=98:RI=97:BO=226:LF=225:CL=2:SC%=29:LT=5:BB=0:EX%=6
470 GOSUB605
475 POKETL,109:POKETR,123:POKEBR,126:POKEBL,124:FORX=TL+3TOTL+7:FORY=3T07
480 POKEX+(22*Y),102:NEXTY:FORZ=15T019:POKEX+(22*Z),102:NEXTZ,X
485 FORX=TL+14TOTL+18:FORY=3T07:POKEX+(22*Y),102:NEXTY
490 FORZ=15T019:POKEX+(22*Z),102:NEXTZ,X
495 RETURN
500 REM * L 3 *
505 TP=102:RI=102:BO=102:LF=102:CL=4:SC%=28:LT=4:BB=6:EX%=2
510 GOSUB605
515 FORX=TLTOTL+5:FORY=1T05:POKEX+(22*Y),TP:NEXTY:FORZ=17T022:POKEX+(22*Z),102
520 NEXTZ,X:FORX=TL+16TOTL+22:FORY=1T05:POKEX+(22*Y),102:NEXT
525 FORZ=16T022:POKEX+(22*Z),102:NEXTZ,X
530 FORX=TL+76TOBL-43STEP22:POKEX,102:POKEX+1,102:NEXT
535 RETURN
540 REM * L 4 *
545 TP=113:RI=107:BO=114:LF=115:CL=2:SC%=174:LT=6:BB=6:EX%=3
550 GOSUB605
555 POKETL,112:POKETR,110:POKEBR,125:POKEBL,109:FORX=TL+1TOTR-1:POKEX+(22*5),102
560 POKEX+(22*11),102:POKEX+(22*17),102:NEXT
565 FORX=TL+1TOTR-1STEP2:POKEX+(22*5),32:POKEX+(22*11),32:POKEX+(22*17),32:NEXT
570 RETURN
575 REM * L 5 *
580 TP=214:RI=214:BO=214:LF=214:CL=2:SC%=59:LT=0:BB=6:EX%=2
585 FORX=TL+22TOTL+27:POKEX,160
590 GOSUB605
595 FORX=TL+4TOTL+17:FORY=5T017:POKEX+(22*Y),214:NEXTY,X
600 RETURN
605 REM * BORDER *
610 PRINT"[J]":POKE36879,SC%
615 FORX=TL+AAT0BR+AA:POKEX,CL:NEXT
620 FORX=TLTOTR:POKEX,TP:NEXT
625 FORX=TRTOBRSTEP22:POKEX,RI:NEXT
630 FORX=BRTOBLSTEP-1:POKEX,BO:NEXT
635 FORX=BLTOTLSTEP-22:POKEX,LF:NEXT
640 RETURN

```



## Watford Technical Books

Not  
the F-Plan Diet  
of an  
Edwardian  
Country  
Parrot

We slightly regret that we cannot supply the above, but you can probably find it in every other bookshop in the world.

On the other hand, if it's books on computing or electronics that you are after, Watford Technical Books would be the answer. E.g. for just £9.95, including p&p, you can be the proud owner of **Assembly Language Programming for the BBC Micro-computer** by Ian Birnbaum — already a classic book.

If you can't visit Watford and save a little p&p, send SAE for lists or phone. We're open daily till 6.00 (Weds till 1.00, Sat till 5.00). Access and Visa will do very nicely, thank you, including by phone.


105 St Albans Road, Watford WD1 1RD  
(2 minutes from Watford Junction Station)

Tel: Watford (0923) 23324



## SF GOBBLERS

PUCKMAN FOR 16K ZX81



BEAT THAT HIGH SCORE!  
GOBBLE THOSE DOTS  
BEFORE THOSE MEANIES  
GOBBLE YOU! YOUR ONLY  
AIDES ARE FOUR "POWER  
PILLS" WHICH MAKE THE  
MEANIES EDIBLE. BUT  
NOT FOR LONG!

- MACHINE CODED FOR FAST ACTION
- EXTRA "GOBBLER" FOR 10,000 POINTS
- ON SCREEN SCORING
- HIGH SCORE WITH "ENTER NAME" FACILITY
- UP TO 4 PLAYERS

AN ANNOYINGLY FRUSTRATING GAME! FOR ONLY £5.95

## SF ASTEROIDS FOR 16K ZX81

STAY ALIVE AS LONG AS POSSIBLE IN OPEN SPACE FILLED WITH FLYING ROCKS. SCORE BY SHOOTING THEM — WHICH ALSO CAUSES THEM TO BREAK INTO LOTS OF LITTLE BITS AND MAKES LIFE EVEN WORSE!

- MACHINE CODED FOR FAST ACTION
- ON SCREEN SCORING
- HIGH SCORE WITH "ENTER NAME" FACILITY
- UP TO 4 PLAYERS
- EXTRA SHIP FOR 1,000 PTS (NOT AS EASY AS IT SOUNDS!)
- SHIP MOVES JUST LIKE ARCADE VERSION
- ROTATE LEFT/ROTATE RIGHT/THRUST
- FIRES IN ALL 8 DIRECTIONS
- INCREASING NUMBER OF ASTEROIDS
- THREE ASTEROID SIZES
- "NASTY" ALIEN SPACE-SHIP (FIRES BACK!)

THIS GAME IS JUST AS BAD! — AND ONLY £5.95  
AN OFFER FOR REAL MASOCHISTS — BOTH TAPES FOR £9.95

MAIL ORDER ONLY—PLEASE MAKE CHEQUE/PO PAYABLE TO



THE SOFTWARE FARM DEPT CW  
CRAIGO FARM BOTANY BAY TINTERN, GWENT



## Atari Customer Support

We need a micro enthusiast, preferably an Atari owner, to talk to the users of the ATARI 400 and ATARI 800 Home Computers and answer their queries and questions.

Due to our rapid growth we have been able to promote the senior person in this group and we now need to replace him.

To apply you must have micro experience, preferably Atari specific and be fully competent in BASIC. If you have experience of ASSEMBLER this would be a plus point. You must be able to differentiate between hardware/peripheral/software/user problems and clearly communicate the answers.

Your personality must be energetic and outgoing with a pleasant telephone manner. As well as dealing with customers on the phone you will attend exhibitions and user group meetings. You will also be responsible for training other Atari staff and maintaining reference sources.

Based in Slough, some travel is involved, and therefore a full driving licence is required. Preferred age range is 23-35 as it is unlikely that anyone under 23 years of age will have sufficient experience.

We offer a very competitive salary supported by a generous benefits package. If you can bring us a flexible and analytical approach, prospects for career development could hardly be better. We're succeeding in a fast-moving field and we're looking for an ambitious man or woman to succeed with us. Please write today with full personal and career details to:



David Konrath, Consultant, Atari International (UK) Inc.,  
Atari House, Railway Terrace, Slough, Berkshire.

## BBC MICRO

### real world CONTROL INTERFACES

Electronic switching control with Input Sensors

#### OPTO-ISOLATED FOR COMPUTER SAFETY

- Unit MM83/1 All high-speed solid state, four input channels sensing up to 25 VDC, four output channels each sinking up to 48 VDC 1/2 amp. All opto-isolated, diode protected..... £19.95
- Unit MM83/2 As above, but HIGH VOLTAGE relay switched outputs handling 240 VAC 1 amp or 24 VDC 2 amp..... £22.95
- Unit MM83/3 Solid state EIGHT output channels, no inputs, each sinking to 48 VDC 1/4 amp..... £19.80
- Unit MM83/4 As above, but high voltage relays..... £24.60
- Unit MM83/5 Eight opto-isolated inputs only, spec. as MM83/1 £19.95

★★★★Outputs can be paralleled for more current★★★★

EACH UNIT READY TO CONNECT AND USE. PLUGS  
STRAIGHT IN TO BBC USER OR PRINTER PORT

BBC JOYSTICKS with FIRE buttons now..... £17.95 pair  
Post and packing £1 per unit, three or more free. VAT 15% extra

BBC B main board CIRCUIT DIAGRAMS with Econet etc.  
£2.50 plus large SAE inclusive return-of-post

SEND SAE for full details of our products.

MINOR  
MIRACLES

114 LONDON ROAD  
IPSWICH  
SUFFOLK IP1 2HG  
Telephone 0473 — 50080 10am — 5pm



# The fun of the fairs

*David Kelly reports on the spate of recent micro shows around the country.*

November 25 to 27

Northern Computer Fair, Belle View, Manchester

In terms of the number of visitors, this Belle View show was rated a great success. Attendances on each of the three days were high — 4,500 on Thursday, 4,500 on Friday and over 8,000 on Saturday.

Some 50 companies were represented, including most of the major software companies — Quicksilva, Artic, Silversoft and Bug-Byte.

There were some notable absentees



Lone photographer at the London Home Computer Show, Westminster.

among the machine manufacturers. Commodore was missing, as was Sinclair. Both Dragon and Lynx were present, but neither was able to sell machines over the counter. The first Lynx computers are only now beginning to appear and Dragon — suffering pre-Christmas shortages — was referring would-be buyers to local dealers.

The Northern Computer Fair was intended to cater for both business and hobby interests. In practice, it was a show for the home enthusiasts. Stands offering games software did a roaring trade; those with business systems were disappointed with the response.

Surprisingly, for a show of this kind, there was almost no new material — hardware or software. Eve and Paul Gorton, on the Acorn Users' stand, demonstrated a device to aid the physically handicapped — using a loudspeaker input to control the progress of a computer game.

December 11 and 12

Christmas Microfest '82, University of Manchester Institute of Science and Technology

The Christmas Microfest was a fairly quiet affair. It suffered from the proximity of the



Crowd scene from the Northern Computer Fair, Manchester.

Northern Computer Fair, which was held in the same city only two weeks earlier.

Considerably smaller than the first Microfest, held earlier in the year, this show had only about 20 exhibitors and was held on one floor rather than two. Only two manufacturers were represented — Micro Marketing for Jupiter Ace and Professional Data Systems for Epson.

Many of those present — Campbell Systems, Fuller and Lothlorien — had a disappointing show. The only company to have a busy two days was bookseller Haig and Hockland.

The lecture programme, so much a part of the first Microfest, was also disappointing. Only two lectures were given — one an introduction to microcomputing and the other dealing with peripherals.

One bright spot at the show was the first outing for Imagine Software's new game, *Arcadia*. The cassette, being sold from the Fuller stand, generated quite a bit of interest.

December 18

Fifth ZX Microfair, New Horticultural Hall, London

A highly successful one-day show resolved any doubts about the future of the ZX Microfair series. Following two disappointing shows earlier in the year, a well attended show was needed and the Christmas show was just that.

Over 7,000 visitors came along, packing the hall to bursting point. This was the biggest Microfair so far with over 120 exhibitors. Although there was nothing new to be seen, pre-Christmas buying was much in evidence.

The fair was notable for the re-appearance of Sinclair Research, absent



Attention caught at the Fifth ZX Microfair, Westminster.

for the last few shows. For the first time Spectrums, both 16K and 48K, were being sold over the counter. It was amusing to see the Sinclair staff attempting to break into their giant red cash-box with a screwdriver, having mislaid the key.



It was worth every minute. London Home Computer Show, Westminster.

January 7 to 9

London Home Computer Show, Royal Horticultural Society's Old Hall, Westminster

We must wait to see whether 1983 will be the year of the Dragon — but it certainly got off to a good start.

The London Home Computer Fair, held a fortnight ago, was dominated by the Dragon 32 microcomputer. Of the 50 or so exhibitors, many offered new software for the machine — including Salamander, Microdeal, Postern, A & F, Romik, Lothlorien and Hilton. On the hardware side, Microdeal was selling a light-pen for the Dragon at £12.

The show also saw the first software for the Commodore 64 machine — Llamasoft sold a version of its *Grid Runner* program for £8.50. Surprisingly there was very little of interest to the Vic20 owner — Rabbit, Romik and Llamasoft being the main software houses present.

There was also little interest in the Spectrum material on display — both Quicksilva and Silversoft were disappointed at the response.

All in all, an enjoyable exhibition. Attendances over the three days totalled just under 12,000. The next Argos show will be at Manchester in April.



People have been playing chess on microcomputers almost since the first micro was launched in 1975. The standard of these programs has steadily improved since 1977, as word of old and new techniques began to filter through to machine code programmers.

The advantages of programming chess for a micro are a fairly large computer memory (the early dedicated chess computers mostly used only 4K programs, the 4K chip having just come down in price), and the ability to provide a graphic display of the board and pieces. Unfortunately, chess requires the movement of black and white pieces on black and white squares and this requires some ingenuity in drawing the pieces, particularly on machines such as the Tandy TRS80 with their low resolution graphics.

The hardest part of defeating the early programs was trying to understand which piece was which. I have not forgotten the shock I once had when a "pawn" shot out across the board to capture my queen. The advent of colour computers considerably eases the problem — for example red and blue pieces can be placed on yellow and green squares.

One of the earliest chess programs, released for use on microcomputers in 1978, was Jennings' *Microchess*. Originally found on the Pet computer in 6502 code and on the Tandy TRS80 in Z80 code, the "1.5" version occupied some 4K of Ram and was written entirely in machine code. Before long, the "2.0" version, an improved 8K program, was released offering some additional book openings. In its various versions, *Microchess* has now sold well over 20,000 programs worldwide and can still be found for the Pet, TRS80, Apple and Atari 400/800 computers.

*Microchess* uses a limited look-ahead with up to eight levels of difficulty. Its standard of play is rather weak, but suitable for beginners.

In 1978, Dan and Kathe Spracklen invented an 8K program in Z80 code which they called *Sargon*. Within a few months it had come top of one of the early all-computer chess tournaments. The program was published in book form as *Sargon — a Chess Program* containing the full macro-assembly code. Various versions of *Sargon I* are now available in the UK.

The first version was for the ubiquitous TRS80, at about £15. It made sophisticated — and largely incomprehensible — use of the machine's limited graphics ability. *Sargon I* is also available for the Nascom II computer, complete with a special graphics Rom and the book for about £45. Yet another version can be obtained free of charge to members of the Yeovil Sharp Users' Group for the Sharp MZ-80K. This uses only upper and lower case letters to represent the pieces, which are lost in the large surrounding squares. My copy has a slight bug in the queen's pawn opening move.

*Sargon I* was also translated into 6502 code for the Apple computer, whose high-

res graphics provided one of the first easily understood chess boards on a screen.

\* *Sargon I* has six levels of play, each level representing one half move (one play) of search ahead. Level one takes 5-10 seconds per move, level two around a minute and level three up to five minutes. Level six is reputed to take up to 48 hours per move, and may be useful for postal chess.

There are only two book openings, P-K4 or P-Q4. The standard of play is good, even at the lowest level. In 1979 this was the strongest program commercially available.

The Spracklens followed up *Sargon I* with *Sargon II*. This has not been published in book form, but is licenced by Hayden to several software distributors. *Sargon II* embodies new methods of searching to deep levels and is much faster than *Sargon I*. There are seven levels, ranging from a few seconds to several hours for postal chess. Most of the levels operate well within the tournament limits of three minutes per move.

*Sargon II* was originally written in Z80 code, but was soon translated into 6502 code in which form it has done very well in numerous all-computer chess tournaments. *Sargon II* was the immediate predecessor to the famous *Sargon 2.5* chess computer and is thus a grandfather of the present series of immensely powerful commercial chess computers such as the Champion Challenger and Morphy.

*Sargon II* occupies less than 16K Ram and provides several standard book openings. Not only is it very fast, but its standard of play far exceeds that of the majority of other microcomputer programs. Another feature is the excellence of its endgame play, an area where the Spracklens seem to excel — and which is much poorer or missing altogether in many competitive programs.

*Sargon II* can be purchased on cassette or disc for the TRS80 Video Genie machines where, curiously, the graphics




## Chequered n

John White looks at chess programs

are even worse than for the *Sargon I*, and for the Apple where the graphics are excellent. A Rom version, with good colour graphics, is also available for the unexpanded Vic20. You should expect to pay between £20 and £30 for *Sargon II*.

Philidor Software, designers of the present commercial world chess computer champion, *Chess Champion Mk V*, wrote the *Pet Chess* program for the Pet computer, distributed by ACT Microsoft. The graphics are excellent and very clear, showing what can be done with a limited graphics set. The standard of play is also very good, particularly in the way the pieces are moved into attack positions and pawns are advanced.

*Pet Chess* plays remarkably like a human opponent. Against this must be set the fact that the program's playing strength is a little weaker than *Sargon II*, and it exchanges pieces at every opportunity.



CP Software's SuperChess for the ZX Spectrum.





## nature of micro chess

... old and new for the Vic20, Pet, ZX81, TRS80 and Spectrum.

The king is a little static in the endgame where the program relies on the excellence of its pawn moves.

*Pet Chess* has a colossal book opening library of 3570 moves, including some unusual lines, and requires a 32K Pet to run in. *Pet Chess* is one of my favourite programs. Its strategic abilities enable it to mimic human play, compensating for its slight tactical inferiority to other strong programs. Expect to pay around £25 for a cassette or disc version for the Pet 3000, 4000 and 8000 series machines.

The strongest chess program for the ZX81 is Artic's *ZX Chess II*. Although this provides a screen display using letters for pieces, a special graphics version is available from QuickSilva for some £45, including the price of their special graphics Rom. These graphics are fairly simple but reasonably clear.

*ZX Chess II* is a 9K program which features a few shallow book openings and has extra endgame routines added to improve the play in this important area. There are seven levels of which five play within normal tournament speeds, looking up to eight ply ahead. Provisionally graded at BCF 110, this is one of the best of the non-professional programs. *ZX Chess II* can be purchased for £10.

Artic has also produced a version of *ZX Chess II* for the Sinclair Spectrum — £14 — requiring 48K Ram. The graphics are similar to those shown in the Sinclair Spectrum advertisement. A talking version is also being developed.

*Spectrum-ZX Chess II* made an appearance in the recent London all-computer championship where it was heavily beaten by dedicated units without being disgraced. All-computer matches measure little more than the depth of computer search, and a dedicated unit is bound to be faster than a domestic micro.

MikroGen's *Chess* — also sold under the Psion label — was one of the first for

the ZX81. At £6.50, this 10K program offers five levels with "look-ahead". There are no book openings, but the program will select randomly between moves of roughly equal merits. The playing strength is a little weaker than *ZX Chess II*. There is also a chess clock provided which can be used to determine the time taken by two humans over a game of chess.

The 48K Spectrum version of MikroGen's *Chess* is known as *Chess* when distributed by Psion, and *MasterChess* if distributed by MikroGen. Both programs are similar, but *MasterChess* has a slightly superior program and a wide range of colour options which can be selected for the board and pieces. There is no colour option for the Psion version. The following program description applies equally to the Psion and MikroGen versions.

The high-res graphics are excellent. It is extremely easy to set up positions, uncompleted games can be saved onto tape, the moves can be output onto the Sinclair printer and the program will recommend a move if requested, or allow you to change levels or colour at any time. There are 10 levels ranging from almost instant response to hours. Levels 4 and 5 approximate to tournament speeds of 2-3 minutes per move, although the program plays much faster in the endgame.

There is a limited range of shallow openings, some being a little eccentric. The midgame play is very sound and quite fast; *MasterChess* is a significant improvement on the ZX81 version. The endgame play is also pretty good, the king becoming very active. *MasterChess* is a strong program for the Sinclair Spectrum and can confidently be recommended. It costs £7.

David Horne's 2K chess program — £3.95 from Artic — is designed to fit into the unexpanded Timex-Sinclair 1000 for the US market. It can also be used in a ZX81 with 16K Ram. A 1K version is available at £2.95 for the ZX81.

To pack a complete chess program into 1K or 2K is an amazing feat, but when you have finished marvelling, what are you left with? The program packing means that the screen display is tucked into a small area of the screen and the pieces can be seen flashing from square to square as they test each move.

Move entry is a little weird. To enter the move E2-E4, you type in 2E4E which is shown on the screen as E4 E2. The board is also shown upside down for some undefined reason.

Facilities include three book opening strings of eight moves each and the ability to play as white or black, or letting the computer play against itself. In the latter case, the movement of pieces as the machine decides its moves makes the game impossible to follow.

The program does not look ahead and its play is correspondingly weak. I beat it in four successive games in 12, 11, 15 and 9 moves. There seems to be quite an emphasis on pawn moves at the cost of development. But the program will not accept illegal moves, and it is quite useful for beginners learning to play chess.

The *Boss* program has been released for the Vic20 with at least 8K Ram. Produced in West Germany by Kavan Software, and distributed in the UK by Audiogenic for £15, it is claimed to be stronger than *Sargon II*.

The board display uses excellent high-res graphics and is extremely clear. When playing black, the board is inverted and so is the notation, a useful addition. One feature I particularly liked — compared with *Sargon II* — is that moves were made and accepted or rejected with no fuss. *Sargon II* sees fit to make a pointless to-and-fro with each piece before moving it, *Boss* just moves the piece.

Facilities offered include 10 levels of which seven play within tournament limits. There are two clocks to record the time taken by each side and a good range of opening moves.

*Boss* uses a similar method of move assessment to *Sargon II*, as is now found in the best commercial chess computers. It has undoubtedly been written by professional chess programmers.

There is one important omission from this program — it is not possible to set up your own position. So, if you inadvertently type in a legal move such as h7-h5 instead of the intended a7-a5, you have no way of correcting the error. It is also impossible to set up endgame positions.

### Conclusions

I can't imagine anyone buying a personal computer just to run a particular chess program — much better to buy a dedicated chess computer. Recommendations are of little value, since you are limited to the programs available for your computer. Instead, I shall just indulge myself with a list of personal preferences. I like (in alphabetical order): *Boss*, *PetChess*, *Sargon II* and *ZX Chess II*. ■



*Open Forum* is for you to publish your programs and ideas. Take care that the listings you send in are all bug-free. Your documentation should start with a general description of the program and what it does and then give some detail of how the program is constructed. We will pay the *Program of the Week* double our new fee of £6 for each program published.

## 3D Saucer

on BBC Micro

This program demonstrates the superb high resolution graphics of Mode 0 on the BBC Microcomputer.

It plots a SIN function (line 150) dot-by-dot, and takes 12 minutes to complete the 3D representation of a flying saucer (or

blancmange if you feel like it!). In order to save time on subsequent uses, the user defined keys are set up to enable you to save the entire screen directly onto tape (f0), and to load it from tape in about four minutes (f1).

There are many ways to change the display. Try:


1. Altering the SIN function to COS.

2. Altering the values of the Z%, Z1%, and Z2% variables at line 90. (One at a time if you want to follow what goes on.)
3. Loading the screen tape with the Beeb in Mode 2.
4. Setting up the other user definable keys to enable fast colour changes. (Use the VDU 19 command to redefine the colours.)

Lines 50 and 60 may need some explanation. `:\:\:\:\:` defines a text window of zero size so that the text which accompanies saving and loading is out of sight and does not spoil the display. V.7 gives a beep when the operation is complete, and :Z restores the normal text window.

```
>L.
10REM 3D SAUCER/HIGH RES.GRAPHICS DEMO.
20REM BY C.R.WOODINGS 1982
30REM NEEDS A 32K BBC MICRO
40MODE7
50*KEY0 \:\:\:\:\: *SAVE"SCREEN"3000 8000:M:M:V.7:IZ
60*KEY1 \:\:\:\:\: *LOAD"SCREEN"3000:M:V.7:IZ
70PRINTTAB(10,10)"Do you already have the shape on tape? (Y/N) ";
80A$=GET$:IF A$="Y" OR A$="y" THEN MODE0:PRINTTAB(10,10)"Set the tape to load
and press key f1. Loading will take about 5 mins":END
90 Z1%=3:Z2%=24:Z3%=Z1%*6:Z%=69:C%=1:X1%=640:X2%=X1%*X1%:Y1%=512:Y2%=512:E%=1
100 MODE0:VDU19,1,4,0,0,0,19,0,3,0,0,0
110FOR X%=0 TO X1% STEP 2
120X4%=X%*X%:A%=SQR(X2%-X4%)
130FOR I%=-A% TO A%STEP Z2%
140R=SQR(X4%+I%*I%)/X1%
150Y%=I%/Z1%+(R-C%)*SIN(Z3%*R)*Y2%
160IFI%=-A%THENM%=Y%:M1%=Y%:Y%=Y1%+Y%:GOTO200
170IFY%>M%THENM%=Y%:Y%=Y1%+Y%:GOTO200
180IFY%<M1%THENM1%=Y%:Y%=Y1%+Y%:GOTO200
190GOTO210
200PLOTZ%,X1%+X%,Y%:PLOTZ%,X1%-X%,Y%
210NEXT:I%:NEXT
220VDU7
230END
```

PROGRAM OF THE WEEK



3D Saucer  
by Chris Woodings



## Lane Racer

on Vic-20

This is a car going around a circuit. You guide it and collect dots. But there are two robot cars after you. You use the Keys Z

and C to swap lanes when you come to an opening. If a robot car catches you, you will die. The program uses user defined graphics characters and fits in 3.5K.

### Program notes

20 to 200 Draw the circuit.

300 to 330 Initialise the variables.  
400 to 452 Controls your car.  
500 to 570 Controls the robot cars.  
700 to 730 Controls the lane changing.  
800 to 886 Control the crash.  
5000 to 6060 Create the characters.

```

10 POKE36879,8:PRINT"LANE RACER":POKE36865,150
11 PRINT"LANE RACER"
12 PRINT" (1982)A BLACKHAM'S"
13 PRINT"USE KEYS Z AND C TO TRY"
14 PRINT"TO COLECT THE DOTS WITHOUT"
15 PRINT"HITING ANOTHER CAR!"
16 PRINT"PLEASE WAIT"
17 FORI=150TO38STEP-1:POKE36865,I:FORR=1
18 TO70:NEXTI:GOTO5000
20 REM DRAW BOARD
30 PRINT"
40 PRINT"
50 PRINT"
60 PRINT"
70 PRINT"
80 PRINT"
90 PRINT"
100 PRINT"
110 PRINT"
120 PRINT"
130 PRINT"
140 PRINT"
150 PRINT"
160 PRINT"
170 PRINT"
180 PRINT"
190 PRINT"
200 PRINT"
300 REM SET UP GAME
301 REM C(1)&C(2)ROBOT CARS
302 REM D(1)&D(2)
303 REM DIRECTION OF
304 REM ROBOT CARS.
305 POKE36874,128:POKE36878,9
310 Y=7901:C(1)=7916:C(2)=7918
320 D=22:D(1)=22:D(2)=22
330 S=6
400 REM CONTROLE YOURS Y=YOUR CAR
401 REM D=DIRECTION
410 Q=PEEK(Y+D)
420 IFQ=2THEND=1:S=7
425 IFQ=3THEND=-1:S=7
430 IFQ=4THEND=22:S=6
435 IFQ=5THEND=-22:S=6
437 POKEY,32
438 IFQ=8THENS=SC+1
439 IFS=7THEN450
440 GETA$
441 IFPEEK(Y+22)=2THEN450
442 IFS=7THEN450
443 IFY<7790THEN450
445 IFA$="Z"ANDPEEK(Y-1)=32THENY=Y-2
447 IFA$="C"ANDPEEK(Y+1)=32THENY=Y+2
450 Y=Y+D
451 POKEY,S:POKE30720+Y,7
452 PRINT"SC"
500 REM ROBOT CARS
510 FORI=1TO2
515 POKEC(I),8

```

```

520 Q=PEEK(C(I)+D(I))
523 IFC(I)=YTHEN800
530 IFQ=3THEND(I)=1:S(I)=7
535 IFQ=5THEND(I)=22:S(I)=6
540 IFQ=2THEND(I)=-1:S(I)=7
545 IFQ=4THEND(I)=-22:S(I)=6
550 C(I)=C(I)+D(I)
552 IFS(I)=6ANDPEEK(C(I)+1)=32THENM=2:
553 GOSUB700:GOTO555
554 IFS(I)=6ANDPEEK(C(I)-1)=32THENM=-2:
555 GOSUB700
555 POKEC(I),S(I):POKE30720+C(I),3
560 NEXTI
570 GOTO400
700 REM LANE CHANGE
710 X=INT(RND(1)*3)
720 IFX=2THENC(I)=C(I)+M
730 RETURN
800 REM CRASH
810 POKEY,9
825 POKE36877,221:POKE36878,15:POKE36874,
826 0:B=28
830 FORL=15TO0STEP-1
840 POKE36878,L
845 B=B+10:POKE36865,B
850 FORM=1TO500:NEXT
860 NEXT L
870 POKE36877,0
874 POKE36869,240:POKE36865,38
875 PRINT"YOU SCORED "SC
880 PRINT"DO YOU WANT ANOTHER GO(Y
881 OR N)?"
882 GETA$:IFA$=""THEN882
885 IFA$="Y"THENC(LR:POKE36869,255:GOTO20
886 END
5000 REM CHAR MAKER
5010 POKE56,28:POKE52,28
5020 FORI=7168TO7679:POKEI,PEEK(I+25600)
5030 POKE36869,255
5040 READQ:IFQ=1THEN30
5050 FORC=QTOQ+7:READA:POKEC,A:NEXT
5060 GOTO5040
6000 REM DATA FOR CHAR
6010 DATA7168,255,255,192,192,192,192,
6020 192,192,7416,255,255,3,3,3,3,3
6030 DATA7392,192,192,192,192,192,192,
6040 255,255,7176,3,3,3,3,3,255,255
6050 DATA7184,0,0,0,0,0,0,255,255,7192,
6060 255,255,0,0,0,0,0
6070 DATA7200,192,192,192,192,192,192,
6080 192,192,7208,3,3,3,3,3,3,3
6090 DATA7216,90,126,90,24,24,90,126,90,
6100 7224,0,119,34,127,127,34,119,0
6110 DATA7232,0,0,24,24,24,0,0,0,7240,
6120 56,108,238,130,238,238,238,254,1
6130 READY.

```

Lane Racer  
by Alan Blackham



# Sinclair ZX Spectrum

**16K or 48K RAM...  
full-size moving-  
key keyboard...  
colour and sound...  
high-resolution  
graphics...**

**From only  
£125!**

First, there was the world-beating Sinclair ZX80. The first personal computer for under £100.

Then, the ZX81. With up to 16K RAM available, and the ZX Printer. Giving more power and more flexibility. Together, they've sold over 500,000 so far, to make Sinclair world leaders in personal computing. And the ZX81 remains the ideal low-cost introduction to computing.

Now there's the ZX Spectrum! With up to 48K of RAM. A full-size moving-key keyboard. Vivid colour and sound. High-resolution graphics. And a low price that's unrivalled.

## **Professional power— personal computer price!**

The ZX Spectrum incorporates all the proven features of the ZX81. But its new 16K BASIC ROM dramatically increases your computing power.


You have access to a range of 8 colours for foreground, background and border, together with a sound generator and high-resolution graphics.

You have the facility to support separate data files.

You have a choice of storage capacities (governed by the amount of RAM). 16K of RAM (which you can uprate later to 48K of RAM) or a massive 48K of RAM.

Yet the price of the Spectrum 16K is an amazing £125! Even the popular 48K version costs only £175!

You may decide to begin with the 16K version. If so, you can still return it later for an upgrade. The cost? Around £60.



## **Ready to use today, easy to expand tomorrow**

Your ZX Spectrum comes with a mains adaptor and all the necessary leads to connect to most cassette recorders and TVs (colour or black and white).

Employing Sinclair BASIC (now used in over 500,000 computers worldwide) the ZX Spectrum comes complete with two manuals which together represent a detailed course in BASIC programming. Whether you're a beginner or a competent programmer, you'll find them both of immense help. Depending on your computer experience, you'll quickly be moving into the colourful world of ZX Spectrum professional-level computing.

There's no need to stop there. The ZX Printer—available now—is fully compatible with the ZX Spectrum. And later this year there will be Microdrives for massive amounts of extra on-line storage, plus an RS232/network interface board.




## **Key features of the Sinclair ZX Spectrum**

- Full colour—8 colours each for foreground, background and border, plus flashing and brightness-intensity control.
- Sound—BEEP command with variable pitch and duration.
- Massive RAM—16K or 48K.
- Full-size moving-key keyboard—all keys at normal typewriter pitch, with repeat facility on each key.
- High-resolution—256 dots horizontally x 192 vertically, each individually addressable for true high-resolution graphics.
- ASCII character set—with upper- and lower-case characters.
- Teletext-compatible—user software can generate 40 characters per line or other settings.
- High speed LOAD & SAVE—16K in 100 seconds via cassette, with VERIFY & MERGE for programs and separate data files.
- Sinclair 16K extended BASIC—incorporating unique 'one-touch' keyword entry, syntax check, and report codes.



# rum



## ZX Spectrum software on cassettes – available now

The Spectrum software library is growing every day. Subjects include games, education, and business/household management. Flight Simulation... Chess... Planetoids... History... Inventions... VU-CALC... VU-3D... Club Record Controller... there is something for everyone. And they all make full use of the Spectrum's colour, sound, and graphics capabilities. You'll receive a detailed catalogue with your Spectrum.

## ZX Expansion Module

This module incorporates the three functions of Microdrive controller, local area network, and RS232 interface. Connect it to your Spectrum and you can control up to eight Microdrives, communicate with other computers, and drive a wide range of printers.

The potential is enormous, and the module will be available in the early part of 1983 for around £30.

# sinclair

Sinclair Research Ltd, Stanhope Road,  
Camberley, Surrey GU15 3PS.  
Tel: Camberley (0276) 685311.

## The ZX Printer – available now

Designed exclusively for use with the Sinclair ZX range of computers, the printer offers ZX Spectrum owners the full ASCII character set – including lower-case characters and high-resolution graphics.

A special feature is COPY which prints out exactly what is on the whole TV screen without the need for further instructions. Printing speed is 50 characters per second, with 32 characters per line and 9 lines per vertical inch.

The ZX Printer connects to the rear of your ZX Spectrum. A roll of paper (65ft long and 4in wide) is supplied, along with full instructions. Further supplies of paper are available in packs of five rolls.



## The ZX Microdrive – coming soon

The new Microdrives, designed especially for the ZX Spectrum, are set to change the face of personal computing by providing mass on-line storage.

Each Microdrive can hold up to 100K bytes using a single interchangeable storage medium.

The transfer rate is 16K bytes per second, with an average access time of 3.5 seconds. And you'll be able to connect up to 8 Microdrives to your Spectrum via the ZX Expansion Module.

A remarkable breakthrough at a remarkable price. The Microdrives will be available in the early part of 1983 for around £50.



## How to order your ZX Spectrum

BY PHONE – Access, Barclaycard or Trustcard holders can call 01-200 0200 for personal attention 24 hours a day, every day. BY FREEPOST – use the no-stamp needed coupon below. You can pay by cheque, postal order, Access,

Barclaycard or Trustcard.

EITHER WAY – please allow up to 28 days for delivery. And there's a 14-day money-back option, of course. We want you to be satisfied beyond doubt – and we have no doubt that you will be.

To: Sinclair Research, FREEPOST, Camberley, Surrey, GU15 3BR.

Order

Qty	Item	Code	Item Price £	Total £
	Sinclair ZX Spectrum – 16K RAM version	100	125.00	
	Sinclair ZX Spectrum – 48K RAM version	101	175.00	✓
	Sinclair ZX Printer	27	59.95	✓
	Printer paper (pack of 5 rolls)	16	11.95	✓
	Postage and packing: orders under £100	28	2.95	✓
	orders over £100	29	4.95	✓
			Total £	200.00

Please tick if you require a VAT receipt ☒

\*I enclose a cheque/postal order payable to Sinclair Research Ltd for £2000

\*Please charge to my Access/Barclaycard/Trustcard account no.

\*Please delete/complete as applicable

Signature

PLEASE PRINT

Name: Mr/Mrs/Miss

Address

POC 901

FREEPOST – no stamp needed. Prices apply to UK only. Export prices on application.



## Space Rescue

on Spectrum

The game starts with the mother ship moving back and forth on top of a band of asteroids, your objective is to manoeuvre your rocket through the asteroids to land safely on the launch pad and rescue the survivors (six).

To launch your ship from the mother

ship press "space bar". Press zero to turn on the boosters and a 1 to turn them off. Press 5 to go left and 8 to go right.

You may vaporise an asteroid by igniting your booster rockets, but only if you are directly over it; this also slows your rocket's descent.

Use defined graphics and graphics symbols

20 A+B+C,E  
24 (CAP SHIFT 4) + 3 + 7, (CAP SHIFT 5)

30 + (CAP SHIFT 8) + 5  
SPC + F + H + H + H + G +  
SPC, SPC + inv G, A + B + C, inv F  
65 D  
140 E  
170 E  
230 D  
2000 inv A + B + C, inv D

After all six survivors are rescued you get a bonus and an extra life and the next screen increases in difficulty.

```

1.5 BORDER 0: PAPER 0: INK 7:
7 INPUT "Enter difficulty fac
  (1 to 5)";k
8 IF k<1 OR k>5 THEN GO TO 7
9 FOR x=144 TO 151: LET a$=CH
R$ x: FOR y=0 TO 7: READ a: POKE
USR a$+y,5: NEXT y: NEXT x
14 LET l=0: LET sc=0
15 LET f$=""
16 PRINT AT 0,0;"LIVES=";l;"
SCORE=";sc
17 INK 5
20 LET t=0: LET y=3: LET s$=""
21 LET m=0: LET n1=0: FOR x=19
TO 21: PRINT AT x,0;"*";AT x,31
"X": NEXT x
22 PRINT AT 0,0;"LIVES=";l;"
SCORE=";sc
23 IF m=0 THEN GO SUB 3000
24 INK 7: LET q=INT (RND*25)+1
PRINT AT 20,q;FLASH 1;INK 6;
PAPER 4;" ";AT 21,q;" ";FL
ASH 0
25 INK 4: FOR x=4 TO 15 STEP 2
FOR z=1 TO 1: BRIGHT 1: BEEP 0
.005,30: PRINT AT x,INT (RND*31)
"X": NEXT z: NEXT x: BRIGHT 0
30 INK 3: FOR f=25 TO 0 STEP
-1: PRINT AT 1,f;" ";AT 2,f
" ";AT 2,f+2;INK 6;" ";AT 2
f+5;INK 3;" ";IF INKEY$=""
THEN GO TO 50
40 BEEP 0.1,-10: NEXT f: PRINT
AT 1,f;" ";AT 2,f;" "
50 GO TO 30
50 LET x=f+2: PRINT AT 2,x;"
55 PRINT AT 0,7: BRIGHT 1;L;A1
0.19;BRIGHT 1;C: BRIGHT 0
50 IF SCREEN$ (y,x)="" THEN L
ET l=(l-1): GO SUB 2000: GO TO 22
51 IF SCREEN$ (y,x+1)="" THEN
LET l=(l-1): GO SUB 2000: GO TO 2
2
52 IF SCREEN$ (y,x+2)="" THEN
LET l=(l-1): GO SUB 2000: GO TO 2
2
55 PRINT AT y,x;INK 6;s$;IF
t=1 THEN PRINT AT y+1,x+1;INK 2
"X"
56 BEEP 0.1,20-y: IF y>18.5 A
ND x=9 THEN GO TO 130
57 IF y>19 AND x<9 THEN LET
l=(l-1): GO SUB 2000: GO TO 22
70 LET x1=x: LET y1=y: LET x=x
+(INKEY$="8" AND x<29)-(INKEY$="
5" AND x>1)
80 IF INKEY$="0" AND t=0 THEN
LET t=1
90 IF INKEY$="1" AND t=1 THEN
LET t=0
100 PRINT AT y1,x1;" ";IF t=
1 THEN PRINT AT y1+1,x1+1;" "
110 IF t=1 THEN LET y=y+.5: GO
TO 55

```

```

120 LET y=y+1: GO TO 55
130 LET sc=sc+10: PRINT AT 0,19
;sc: LET m=m-1: IF m=5 THEN LET
a=19: LET b=31
131 IF m=4 THEN LET a=20: LET b
=31
132 IF m=3 THEN LET a=21: LET b
=31
133 IF m=2 THEN LET a=19: LET b
=31
134 IF m=1 THEN LET a=20: LET b
=31
135 IF m=0 THEN LET a=21: LET b
=31
140 INK 5: FOR c=1 TO 5: PRINT
AT a,b;"X": BEEP 0.1,20: PRINT A
T a,b;"X": PAUSE 5: NEXT c: PRIN
T AT a,b;" "
150 IF b=0 THEN FOR d=1 TO q-1
160 IF b=31 THEN FOR d=30 TO q+
3 STEP -1
170 PRINT AT 21,d;"X": BEEP 0.0
5,10: PRINT AT 21,d;"X": NEXT d
180 PRINT AT y,x;" " IF t=1
THEN PRINT AT y+1,x+1;" "
190 LET y=y-1
200 IF SCREEN$ (y,x)="" THEN L
ET l=(l-1): GO SUB 2000: GO TO 22
210 IF SCREEN$ (y,x+1)="" THEN
LET l=(l-1): GO SUB 2000: GO TO 2
2
220 IF SCREEN$ (y,x+2)="" THEN
LET l=(l-1): GO SUB 2000: GO TO 2
2
230 PRINT AT y,x;INK 6;s$;AT y
+1,x+1;INK 2;"X": BEEP 0.1,20-y
+1: FOR q=0 TO 30: BEEP 0.05,q:
NEXT q: LET sc=sc+10: PRINT AT 0
,19;sc: LET y=3: LET m1=m+1: FO
R a=1 TO 10: PRINT AT s,0;f$: NE
XT s: PRINT AT 20,q;" ";AT 21,
q;" "
250 IF y=2 AND x<f+2 THEN LET
l=(l-1): GO SUB 2000: GO TO 22
260 LET x1=x: LET y1=y: LET x=x
+(INKEY$="8" AND x<31)-(INKEY$="
5" AND x>0)
270 PRINT AT y1,x1;" ";AT y1+
1,x1+1;" "
280 LET y=y-.5: GO TO 200
1000 DATA 0,0,12,12,12,15,15,12,
24,24,24,60,255,255,255,0,0,0,46
,46,46,240,240,46,255,255,120,12
,6,60,60,24,24,16,56,16,56,16,16
,20,60
1010 DATA 1,3,7,15,31,63,127,255
,120,192,224,240,248,252,254,255
,255,255,195,195,195,195,255,255
2000 FOR m=1 TO 10: INK AND$+1:
BEEP 0.05,y+10: PRINT AT y,x;"
 ";AT y+1,x+1;" ";AT y,x;" ";
AT y+1,x+1;" ";AT y,x;" ";AT y+1,
x+1;" ";AT y,x;" ";AT y+1,x
+1;" ";FOR s=1 TO 16: PRINT AT
s,0;f$: NEXT s
2010 PRINT AT 20,q;" ";AT 21,q
" ";LET y=0: LET y=2: IF l=0
0 THEN GO SUB 4000
2020 RETURN

```

```

3000 INK m1+1: CLS: PLOT 55,27:
DRAW OVER 1,120,120,59+3*PI
3010 FLASH 1: INK 7-m1+1: PRINT
AT 0,0;"BONUS";BEEP 0.1,RND*10
: PRINT AT 0,27;"BONUS";BEEP 0
.1,RND*10: PRINT AT 21,0;"BONUS"
: BEEP 0.1,RND*10: PRINT AT 21
,27;"BONUS";BEEP 0.1,RND*10: PR
INT AT 10,12;"BONUS";FOR t=1 TO
15: BEEP 0.05,t: NEXT t
3020 LET k=k+1: LET sc=sc+(m1*10
): PAUSE 50: FLASH 0: PRINT AT 2
1,0;" ";FOR i=0 TO 21: POKE 2369
3,255: PRINT f$: NEXT i: LET l=1
+1: GO TO 15
4000 CLS: INK 6: FOR i=0 TO 21:
PRINT AT i,0;"YOU BLEW IT...."
NEXT i: FOR i=0 TO 21: INK 3:
PRINT AT i,18;"SCORE=";sc;NEX
T i
4005 PAUSE 50
4010 PRINT AT 21,0;" ";FOR i=0 T
O 21: POKE 2369,255: PRINT f$:
NEXT i
4020 INK 6: PRINT AT 21,0;"Do yo
u want to play again (Y/N)";IF
INKEY$="" THEN GO TO 4020
4030 IF INKEY$="Y" THEN RUN
4040 IF INKEY$="N" THEN STOP
4050 GO TO 4020

```

LIVES = 3 SCORE = 0

SPACE RESCUE  
© ANDREW ASTRAND  
1/11/1982

Space Rescue  
by Andrew Astrand

## Equations

on ZX81

This listing is for the 1K ZX81 but can also be used on an expanded machine. I believe it to be a unique program in that it solves both Quadratic and Simultaneous equations all in 1K on the ZX81. For you maths people, Quadratics are solved using

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

and the Simultaneous equations by a matrix method.

I had to use a number of memory saving tricks to fit the program into 1K e.g. CODEs of characters instead of numbers and also, in line 14, the "AND" is shift 2.

When the first display comes up, press Q for Quadratic equations or S for Simultaneous equations (of two unknowns). Then when the equations come onto the screen enter each number followed by Newline not forgetting of course to put

minus signs in if there are any in your own equation.

The first character in reverse in line 2 is a reverse Q and the second is a reverse S; the graphics are lines 4, character 7 (not as shown); 6, character 3 (not as shown); 8, character 8; 10, character 4; 12, character 2; 13, character 2; 17, characters 8, 1, 8.

The program should prove useful to O-level maths candidates to check their

homework whether they have expansion or not.

### Program notes

2 to 6 "Which type of equation?"  
7 to 15 Solve the quadratic equation.  
16 to 23 Solve simultaneous equations.  
24 to 27 Display result then if key pressed, RUNs again.  
30 to 31 Roots of quadratic are imaginary numbers.  
50 to 59 Input routine.  
60 to 61 Infinite number of solutions to equations.

```

READY.
2 PRINT "PRESS Q QUAD. OR S SIMUL."
3 LET A$=INKEY$
4 IF A$="Q" THEN GOTO CODE "Q"
5 IF A$="S" THEN GOTO CODE "S"
6 GOTO CODE " "
7 CLS
8 PRINT AT CODE " ",CODE "Q";"AX+BY="
(2+BX+C=0)
9 GOSUB CODE "M"
10 LET ZX=B*B-4*CODE " ";A$*C
11 IF ZX<CODE " " THEN GOTO CODE "2"
12 LET X1=(SQR ZX-B)/CODE " ";A$
13 LET X2=(-SQR ZX-B)/CODE " ";A$
14 PRINT "ROOTS ARE ",X1;" AND ",X2

```

```

15 GOTO CODE "/"
16 CLS
17 PRINT AT CODE " ",CODE "Q";"AX+BY="
C"; AT CODE " ",CODE "S";"DX+EY=F"
18 GOSUB CODE "M"
19 LET DET=A*E-B*D
20 IF DET=CODE " " THEN GOTO CODE "W"
21 LET X=(E*C-B*D)/DET
22 LET Y=(A*F-D*C)/DET
23 PRINT "X=";X;" Y=";Y
24 PRINT "PRESS A KEY"
25 IF INKEY$="" THEN GOTO CODE " "
26 CLS

```

To next page



## from previous page

```

27 RUN
30 PRINT "ROOTS UNREAL"
31 GOTO CODE "/"
50 PRINT "GIVE A,B,C";
51 INPUT A
52 INPUT B
53 INPUT C
54 IF A#="Q" THEN RETURN
55 PRINT "GIVE D,E,F"
56 INPUT D
57 INPUT E
58 INPUT F
59 RETURN
60 PRINT "NO UNIQUE SOLUTION"
61 GOTO CODE "/"

```

### Equations

by Mike Davies

## Music Transposer

on Vic-20

This program should be of value, not only to the musician; but to anyone creating music on the Vic. The object of the program is to change the key of any type of music. The musician may require to transpose a piano piece for a trumpet, or the Vic programmer may find some notes are too high or too low to use, so transposition is needed.

The program is straightforward to use; if you wish to change a piece of music from the key of C to the key of G, firstly, the program asks for a note — enter C here, then the note required is G. The program computes the number of semitones to be shifted and then asks for a note. This will be notes from the original piece in the key

of C, and the new notes given will be the ones required for the key of G.

On all inputs the *Return* key is not needed. The prompt signal is a yellow block. Enter any relevant note. If a sharp is needed (the program only recognises sharps) press '3'. If not then any other key will suffice. The program is entirely fool-proof.

### Program notes

50 to 80	Sets the display.
100 to 104	Accepts the first note in.
105	Ensures that 'E' and 'B' notes cannot be sharpened.
106 to 109	Checks if note is sharp or not.
110 to 119	Same as above but for note required.
120 to 190	Calculates the transposition needed.
200 to 225	Same as lines 100 to 109 but for note entered.
250 to 350	Sorts out the new note.
500	Prints the yellow prompt block.
600	A half second delay subroutine.

```

10 REM (VIC) MUSIC TRANSPOSER BY ANDY HORRELL
20 DATAC,1,C#,2,D,3,D#,4,E,5,F,6,F#,7,G,8,G#,9,A,10,A#,11,B,12
50 POKE36879,205:PRINT"VIC MUSIC TRANSPOSER "
60 FORT=1TO16:PRINT:NEXT:PRINT"USE SHARPS NOT FLATS "
70 FORT=8098TO8185:POKET+30720,5:POKET,160:NEXT
80 PRINTTAB(3)" " "SPC(5)" USE '3' FOR '#' "SPC(5)"
100 PRINT"ENTER A NOTE ";
103 GOSUB500:GETNI$:IFNI$=""THEN103
104 IFASC(NI$)<65ORASC(NI$)>71THEN103
105 PRINTNI$;GOSUB600:IFNI$="E"ORNI$="B"THEN110
106 GOSUB500:GETAI$:IFAI$="3"THENNI$=NI$+"#"
108 IFAI$=""THEN106
109 PRINT"NI$ ";
110 PRINT:PRINT"NOTE REQUIRED ";
113 GOSUB500:GETNR$:IFNR$=""THEN113
115 IFASC(NR$)<65ORASC(NR$)>71THEN113
116 PRINTNR$;GOSUB600:IFNR$="E"ORNR$="B"THEN120
117 GOSUB500:GETAR$:IFAR$="3"THENNR$=NR$+"#"
118 IFAR$=""THEN117
119 PRINT"NR$ ";
120 READDN$,DN:IFDN$<>NI$THEN120
150 NI=DN:RESTORE
160 READDN$,DN:IFDN$<>NR$THEN160
190 NR=DN:IN=NR-NI:PRINT:PRINT"ADJUST"ABS(IN)"SEMITONES"
200 PRINT"ENTER NOTE ";
210 GOSUB500:GETBN$:IFBN$=""THEN210
212 IFASC(BN$)<65ORASC(BN$)>71THEN200
215 PRINTBN$;GOSUB600:IFBN$="E"ORBN$="B"THEN250
220 GOSUB500:GETSN$:IFSN$="3"THENBN$=BN$+"#"
222 IFSN$=""THEN220
225 PRINT"BN$ ";
250 RESTORE
260 READDN$,DN:IFDN$<>BN$THEN260
280 TN=DN+IN:IFTN>12THENTN=TN-12
285 IFTN<1THENTN=TN+12
290 RESTORE
300 READDN$,DN:IFDN$<>TNTHEN300
350 PRINT:PRINT"NEW NOTE "DN$:POKE198,0
360 GOSUB600:GOSUB600:WAIT198,1:GOTO200
500 PRINT" ";RETURN
600 FORT=0TO500:NEXT:RETURN
READY.

```

Music Transposer  
by Andy Horrell



## Sonata

### on Spectrum

It seems to me that there is an absence of music programs being published, probably due to lack of musical knowledge on the part of the programmers. I have therefore written this program for the ZX Spectrum which, when *Run*, will play the first move-

ment of Mozart's Sonata in C Major. It also demonstrates how the *Beep* command can be used effectively even with the limited sound-producing capabilities of the Spectrum.

#### Program notes:

30 to 230 Subroutines.  
240 to 520 Data statements containing pitch of notes.

1000 Set up variables for note duration.  
1010 to 2070 Main program consisting of *For-Next* loops.

I have placed the subroutines near the beginning in order to speed up the running of the program. For best results it is handy to have a sound amplifier. Take care when entering the Data statements, otherwise the results may be disastrous.

```
10 REM SONATE By C-Y Choy
20 GO TO 1000
30 READ B,C,D
40 BEEP 2*X,B: BEEP X,C: BEEP
X,D: RETURN
50 FOR M=1 TO 16
60 READ B: BEEP Z,B
70 NEXT M: RETURN
80 FOR N=1 TO 3
90 READ B: BEEP Y,B
100 NEXT N
110 BEEP X,14: BEEP X,19: BEEP
X,7: PAUSE 25
120 RETURN
130 READ B,C,D,E,F
140 BEEP X,B: BEEP Z,C: BEEP
Y,Z,D: BEEP Z,E: BEEP Y+Z,F: RET
URN
150 FOR N=1 TO 12
160 READ B: BEEP Z,B
170 NEXT N: RETURN
180 BEEP X,19
190 FOR N=1 TO 12
200 READ B: BEEP Z,B-12
210 NEXT N: RETURN
220 READ B,C,D
230 BEEP 2*X,B+5: BEEP X,C+5: B
EEP X,D+5: RETURN
240 DATA 12,16,19,11,12,14,12
250 DATA 21,19,24
260 DATA 9,11,12,14,16,17,19,21
,19,17,16,14,12,11,9
270 DATA 7,9,11,12,14,16,17,19,
17,16,14,12,11,9,7
280 DATA 5,7,9,11,12,14,16,17,1
6,14,12,11,9,7,5
290 DATA 4,5,7,9,11,12,14,16,14
,12,11,9,7,5,4
300 DATA 2,4,5,7,9,11,13,14,9,1
,13,14,16,17,19
310 DATA 21,23,24,23,21,19,17,1
6,17,19,21,19,17,16,14,12
320 DATA 11,19,16,12,14,19,16,1
2
330 DATA 26,23,19,21,23,21,19,2
,19,21,19,18,16
340 DATA 26,-12,7,11,26,23,19,
16,0,4,7,12,15,15
350 DATA 24,-3,0,6,9,24,21,18,1
4,-1,2,6,11,14,18,14
360 DATA 23,-5,-1,4,7,23,19,16,
12,-3,0,4,9,12,16,12
370 DATA 21,-6,-3,2,6,21,18,14,
11,-5,-1,2,7,15,14,11
380 DATA 9,11,12,15,16
390 DATA 19,14,19,23,26,23,19,2
3,24,21,18,21
400 DATA 19,14,19,22,26,22,19,2
2,24,21,18,21
410 DATA 7,-17,-15,-14,-12,-10,
-8,-6,-5,19,22,21,19,16,14
420 DATA 13,-15,-13,-11,-10,-8,
-6,-4,-3,25,28,25,22,21,19
430 DATA -7,2,4,5,7,9,11,13,14,
2,5,4,2,0,-1,3
440 DATA -4,11,12,14,16,18,20,2
,1,23,-4,-1,-3,-4,-7,-8,-10
450 DATA -12,21,26,26,24,23,21,
19,17,2,9,7,3,4,2,0
460 DATA -4,12,9,6,-1
470 DATA -3,17,24,23,21,19,17,1
6,14,-1,3,4,2,0,-1,3
480 DATA -4,16,23,21,20,17,16,1
4,12,-3,0,-1,3,-5,-7,-8
490 DATA -10,10,14,12,10,9,7,5,
4,5,7,9,10,12,14,16
```

```
500 DATA 14,13,14,13,14
510 DATA 14,2,4,5,7,9,11,13,14,
9,11,13,14,16,17,19
520 DATA 21,23,24,26,26,24,2
3,21,19,17,16,14,12
1000 LET X=1/2: LET Y=X/2: LET Z
=X/4: LET A=X/8
1010 GO SUB 30
1020 READ B,C,D,E
1030 BEEP X+,B: BEEP Z,C: BEEP
Z,D: BEEP X,E: PAUSE 25
1040 GO SUB 30
1050 BEEP X,19
1060 FOR N=1 TO 3
1070 BEEP A,19: BEEP A,17: NEXT
N
1080 BEEP A,16: BEEP A,17: BEEP
X,16: PAUSE 25
1090 FOR N=1 TO 5
1100 READ B: BEEP Y,B
1110 FOR H=1 TO 14
1120 READ B: BEEP Z,B: NEXT H: N
EXT N
1130 GO SUB 50
1140 GO SUB 60
1150 FOR N=1 TO 2
1160 FOR H=1 TO 4
1170 IF N=1 THEN BEEP Z,1: BEEP
Z,2: GO TO 1190
1180 BEEP Z,0: BEEP Z,2
1190 NEXT H: NEXT N
1195 RESTORE 330
1200 FOR N=1 TO 2
1210 RESTORE 330
1220 READ B,C,D,E,F,G,H,I,J,K,L,
M,P
1230 BEEP Y,B: BEEP Y,C: BEEP X+
Y,D: BEEP Z,E: BEEP Z,F: BEEP Y,
G: BEEP Y,H: BEEP A,I: BEEP A,J:
BEEP A,K: BEEP A+Z,L: BEEP Z,M:
BEEP X,P: PAUSE 50
1240 NEXT N
1250 FOR N=1 TO 4
1260 GO SUB 50: NEXT N
1270 GO SUB 130
1280 BEEP Z,20: BEEP X+Z,21: BEE
P A,23: BEEP A,21: BEEP A,20: BE
EP A,21: BEEP Y,24: BEEP Y,21: B
EEP Y,24: BEEP Y,21
1290 BEEP Y,23: BEEP Y,19: BEEP
2*X,26: BEEP Z,24: BEEP Z,23: BE
EP Z,21: BEEP Z,19
1300 FOR N=1 TO 15
1310 BEEP A,23: BEEP A,21: NEXT
N
1320 BEEP Z,19: BEEP Z,21: BEEP
X,19
1330 GO SUB 150
1340 RESTORE 390: GO SUB 160
1350 BEEP X,7: BEEP X,23: BEEP X
,19: PAUSE 25
1360 BEEP X,7: GO SUB 150
1370 RESTORE 400: GO SUB 160
1380 FOR N=1 TO 2
1390 GO SUB 50: NEXT N
1400 BEEP X,17
1410 RESTORE 400
1420 FOR N=1 TO 12
1430 READ B: BEEP Z,B-5: NEXT N
1440 BEEP X,14
1450 RESTORE 400
1460 FOR N=1 TO 12
1470 READ B: BEEP Z,B-17: NEXT N
1480 RESTORE 430
1490 FOR N=1 TO 7
1500 GO SUB 50: NEXT N
1510 RESTORE 240: GO SUB 220
1520 READ B,C,D,E
```

```
1530 BEEP X+Y,B+5: BEEP Z,C+5: B
EEP Z,D+5: BEEP X,E+5: PAUSE 25
1540 GO SUB 220
1550 BEEP X,24
1560 FOR N=1 TO 3
1570 BEEP A,24: BEEP A,22: NEXT
N
1580 BEEP A,21: BEEP A,22: BEEP
X,21: PAUSE 25
1590 FOR N=1 TO 4
1600 READ B: BEEP Y,B+5
1610 FOR M=1 TO 14
1620 READ B: BEEP Z,B+5
1630 NEXT M: NEXT N
1640 BEEP 2*X,21: PAUSE 25: BEEP
X,21
1650 BEEP 2*X,19: PAUSE 25: BEEP
X,19
1660 BEEP 2*X,17: PAUSE 25: BEEP
X,17
1670 BEEP 2*X,16: PAUSE 25: BEEP
X,16
1680 RESTORE 510
1690 GO SUB 50
1700 RESTORE 710
1710 GO SUB 50: GO SUB 60
1720 FOR N=1 TO 2
1730 FOR H=1 TO 4
1740 IF N=2 THEN BEEP Z,6: BEEP
Z,7: GO TO 1760
1750 BEEP Z,8: BEEP Z,7
1760 NEXT M: NEXT N
1770 FOR N=1 TO 2
1780 RESTORE 330
1790 READ B,C,D,E,F,G,H,I,J,K,L,
M,P
1800 BEEP Y,B-7: BEEP Y,C-7: BEE
P X+Y,D-7: BEEP Z,E-7: BEEP Z,F-
7: BEEP Y,G-7: BEEP Y,H-7: BEEP
A,I-7: BEEP A,J-7: BEEP A,K-7: B
EEP A+Z,L-7: BEEP Z,M-7: BEEP X,
P-7: PAUSE 50
1810 NEXT N
1820 FOR N=1 TO 2
1830 FOR H=1 TO 16
1840 READ B: BEEP Z,B-7
1850 NEXT M: NEXT N
1860 FOR N=1 TO 2
1870 FOR H=1 TO 16
1880 READ B: BEEP Z,B+5
1890 NEXT M: NEXT N
1900 RESTORE 500
1910 GO SUB 130
1920 BEEP 2*X,21: BEEP Z,20: BEE
P Y+Z,21: BEEP Z,20: BEEP Y+Z,21
1930 BEEP Y,19
1940 RESTORE 520
1950 FOR N=1 TO 14
1960 READ B: BEEP Z,B: NEXT N
1970 FOR N=1 TO 15
1980 BEEP A,16: BEEP A,14: NEXT
N
1990 BEEP Z,12: BEEP Z,14: BEEP
X,12
2000 RESTORE 390
2010 FOR N=1 TO 12
2020 READ B: BEEP Z,B-7: NEXT N
2030 BEEP X,12
2040 RESTORE 390
2050 FOR N=1 TO 12
2060 READ B: BEEP Z,B-14: NEXT N
2070 BEEP X,0: BEEP X,16: BEEP X
,12: PAUSE 25
```

Sonata  
by Chi-Yeung Choy

## Instant Graphics

### on BBC Micro

Here is a short program to demonstrate another use of the *VDU 19* command. The program plots a series of expanding squares on the screen to simulate a type of hypnotic tunnel. It then continuously swops between four graphics pages to give the impression of forward movement in this tunnel, by expanding these squares. This a sneaky way of producing instantaneous graphic animation, which could only be paralleled by a machine code.

The *Envelope* command is also effectively used to make a psychedelic sound effect which works well.

Owners of 32K machines can achieve up to 15 pages of graphics by using the 15 colour display of Mode 2. This will produce a more realistic animation effect.

1

LIST

```
10 REM VERSION 2, OCT.8TH,1982
20 MODE5
30 ENVELOPE3,7,2,1,1,1,1,121,-10,-5,-2,120,120
40 VDU19,1,0,0,0,0,19,2,0,0,0,0,19,3,0,0,0,0
50 CX = 0
60 FOR XX = 1 TO 650 STEP 8
70 CX = CX + 1: IF CX = 4 THEN CX = 0
80 GCOLOR,CX
90 MOVE640 + XX,512 + XX: DRAW 640 + XX,512 - XX
100 DRAW 640 - XX,512 - XX: DRAW 640 - XX,512 + XX
110 DRAW 640 + XX,512 + XX
120 NEXT XX
130 VDU5:GCOLOR,3:MOVE350,850: PRINT "HYPNOTISM"
140 EX = 0
150 FOR CX = 0 TO 3
160 DX = CX + 1: IF DX = -1 THEN DX = 3
170 VDU19,DX,0,0,0,0,19,CX,3,0,0,0
180 EX = EX + 1: IF EX = 4 THEN EX = 1
190 FOR ZX = 0 TO 600: NEXT ZX
200 ON EX GOTO 210,220,230
210 SOUND 8,11,3,100,255: NEXT CX: GOTO 150
220 SOUND 8,12,3,100,255: NEXT CX: GOTO 150
230 SOUND 8,13,3,100,255: NEXT CX: GOTO 150
```

Instant Graphics  
by Scott Basham









## Jupiter Ace revisited

*Martyn Sudworth re-examines the Jupiter Ace and presents Alien Swarm — a 1K Space Invaders game.*

At first sight, the Jupiter Ace is an unimpressive plastic box strongly reminiscent of the ZX80. The Ace keyboard is a slightly improved version of the Spectrum keyboard. Both of these features betray the origin of the basic design. The Ace is, however, a totally different machine from these computers by virtue of the language, Forth.

When the Ace is turned on, you will be pleasantly surprised by the dark screen which is much easier to use than a ZX81 'bright' screen. The cursor is a small white pixel which can easily be changed to suit all tastes (the cursor is Chr\$ 151).

If you have just bought an Ace, after using a ZX81, then two features will strike you very quickly — it is very, very, fast and your commands do not work. Although Forth uses many commands found in Basic, the order of the command, and any numbers associated with it, are reversed. This reverse notation is awkward to use at first, but a few weeks' use will soon make you feel at home. To give an example, the Basic line:

```
FOR I = 0 TO 1000 : NEXT I
is replaced in Forth by:
1001 0 DO LOOP
```

Notice the fact that the *do-loop* never reaches the upper limit. The Forth equivalent is clearly shorter and on the Ace takes 0.125 seconds to run, about eight times faster than the BBC micro. A further example of speed is given by the word *Type* where:

```
100 100 TYPE
```

will print out the first 100 characters after location 100 in the Ace (equivalent to *For I = 100 To 200 : Print Chr\$(Peek(I)) : Next I*) and takes a remarkable 0.04 seconds.

The first question asked by Basic users about the Ace is how you write programs

without program lines. To understand this you must understand how to define words. Words in Forth can be commands like *Cls*, *Then* or *Print* for instance. Instead of program lines, Forth arranges these words to produce the program. For instance, if you wanted to use the equivalent of the Basic line:

```
100 PRINT AT 10,20 : "hello"
we would define a word Hello as:
: HELLO 10 20 AT : "hello" ;
```

This has exactly the same effect. Now, if you want to write *hello* in the middle of the screen, you type in the word *Hello* and press *Enter*. If you want to clear the screen before printing *hello*, you could define a word *Clear* as:

```
: CLEAR CLS HELLO ;
```

If you now type *Clear*, the Ace will perform the *Cls* command then the *Hello* command. Simply by extending this idea, you can build up larger and larger words (or words which do more and more) until you type in one word and the computer plays space invaders.

Word definitions start with a colon and end with a semi-colon. After the colon you must print a space, then the new word you wish to define. The use of spaces is very important in Forth as it tells the computer where one word ends and another begins.

Next, print the commands which your new word will perform — note that these commands must already be defined so that the compiler can work correctly. When your word definition is complete, a semi-colon tells the Ace that you have finished.

After building up a number of words, you type the master word which runs the program by calling up other words in the same way as subroutines work in Basic. This short overview gives an idea of how Forth works, but there is much more, such

as the use of data stacks to store numbers which are vital to the running of the language.

### Inside Ace

If you look at the memory map of the Ace, you can see that there are two copies of the television screen next to each other above the 8K Rom. The screen scroll routine (see below) uses the second copy, because this gives a steady clear display whereas manipulation of the first copy produces white dots flickering over the screen. This is presumably akin to the *Slow* and *Fast* commands on the ZX81, although the effect is not so drastic.

Above the video screen is the pad, an area for manipulating text (strings are stored temporarily in the pad to allow string arithmetic). The pad is followed by two copies of the character set memory and four copies of the dictionary and stacks. The dictionary contains the new words you have defined, the return stack contains the return addresses and the data stack contains the numbers you wish to store there for use in these words.

One of the main drawbacks of the Ace is the lack of memory for the dictionary. The problem is not as bad as on the 1K ZX81, since the Ace's memory is used far more efficiently. But advertisements for the Ace state 'The Jupiter Ace is your answer' if you have a computer and problems with your memory. This is not true unless you fix a 16K Ram pack (the ZX 16K Ram packs will fit with some modification) when the memory will, in effect, be upwards of 50K compared with Basic systems.



The manual for the Ace is good with many useful word definitions clearly laid out. A section on hardware add-ons, describing two circuits which are an interesting addition to games (one circuit gives a circuit with three LEDs which can be used to indicate fuel levels or the end of a game) is most welcome.

### Alien Swarm

This program can just be fitted in the 1K of memory on the Ace. I have used some fairly long titles for some of the words, but these can be reduced to one or two letters if you want to conserve memory. However, do not use the letters *I* or *J* because these are used by the Ace as loop counters. Also, the letters *A* to *F* should not be used if you are going to work in hexadecimal, as they could then be both commands and numbers.

The listing is in two separate parts —



first the program to define the graphic characters and then the program itself. In Forth, remarks are contained in brackets. These have no affect on the program and can be omitted.

A peculiarity of the Ace is that you cannot Save the contents of the character set memory (or rather you can not Save it accurately). So, I think the best alternative is to Save the data in a separate program.

You must first use a graphics word to define your characters. The manual gives a suitable word (page 71):

```
: GRAPHICS 8 * 11263 + dup 8 + do i c! - 1 + loop ;
```

Now you must select the data to use. For this program I suggest defining words as follows:

```
: ship F0 3F 1F 0F 1F 3F F0 00 1 graphics ;
: ship2 00 00 C0 FC C0 00 00 00 3 graphics ;
```

Note that the data is in hexadecimal (base 16). A useful feature of the Ace is that you can change number bases in the middle of words by use of the square brackets which change you from immediate (ie normal) mode to defining mode (as in word definitions) and back again.

The space ship can be tested by:

```
(immediate mode) invis 1 emit 3 emit ( enter )
```

which should print out the ship as the word *Emit* is equivalent to Basic's "Print Chr\$". The word *Invis* stops the input line being printed onto the screen (useful for graphic games).

Other words to give different graphics are:

```
: missile 06 FF 06 00 06 FF 06 00 4 graphics ;
: alien1 0E 38 70 56 70 38 0E 00 5 graphics ;
: alien2 18 3C 7E FF 7E 3C 18 00 2 graphics ;
```

And for the explosions:

```
: ex6 00 00 00 18 18 00 00 00 6 graphics ;
: ex7 00 00 18 24 24 18 00 00 7 graphics ;
: ex8 00 3C 42 42 42 42 3C 00 8 graphics ;
: ex9 7E 81 81 81 81 81 81 7E 9 graphics ;
: ex10 00 3C 42 42 42 42 3C 00 A graphics ;
: ex11 00 00 18 24 24 18 00 00 B graphics ;
: ex12 00 00 00 18 18 00 00 00 C graphics ;
```

This program should be tested, saved and verified. A word which uses all the

word definitions should be written beforehand, so the program can be *Loaded* and run to *Load* the character data for the main program.

Use *Forget Graphics* after running. This last instruction makes room for the rest of the program.

The main program must be typed in the following order because the Ace will not accept words inside a word definition unless they are already in the Dictionary.

First you must initialise the variables:

```
1 constant y (y co-ordinate of ship)
10 variable x (x co-ordinate of ship)
0 variable sc (score)
```

The game requires a random number generator. A routine is included in the Ace manual. The words *Seed*, *Seedon*, *Rnd* and *Rand* are needed.

To start the program we must reset the variables:

```
: INIT 0 sc ! 10 x ! cl ;
```

A word to draw and erase the ship must now be written:

```
: ship x @ y @ at emit 3 emit ;
: m x @ y @ at " " ; (there are three spaces in the quotes)
```

To allow movement, define the following words:

```
: up m (erase ship) x @ 1 - x ! ;
: down m x @ 1 + x ! ;
: move inkey dup 101 = if 'up' then 99 = if 'down' then ;
```

The word *Move* uses the word *Up* if the 'E' key is being pressed and the word *Down* if the 'C' key is being pressed.

In order to make the aliens move, I have used a word which *Scrolls* the screen to the left. Some idea of the speed of Forth can be seen here in that it can perform a screen scroll without resorting to machine code:

```
: scr 9898 9216 do 32 4 do i j + dup c@ swap 1 - c!
loop 32 + loop ;
```

To draw random aliens in the last column use:

```
: LL 22 0 do i 31 at 32 rnd ?dup 0 = if 2 emit else 3 <
if 5 emit else " " (2 spaces) then then loop ;
```

Now you can set up the means of



shooting at the aliens. First, you need a simple delay loop.

```
: wait 100 0 do loop ; (This is directly equivalent to
Basic's: For I = 0 TO 99:Next I)
```

```
: score sc dup @ 10 + dup rot ! 0 0 at . ;
: bang 15388 @ 12 0 do wait dup i swap c! loop 32
swap c! score ;
: fire x @ dup 3 at 32 3 do 15388 @ c@ 32 = if 4
emit wait dup i at " " (2 spaces) else bang leave
then loop drop ;
```

A simple *Inkey* routine to detect if the 'K' (fire) button is being pressed:

```
: ?F inkey 107 = if fire then ;
```

Lastly, the word to actually play the game is *Go*:

```
: go init 100 0 do move ship ?f LL scr ?f x @ " " (2
spaces) loop ;
```

If you used my suggestion to use short word titles, then you might be able to fit in the word:

```
: g go cls 10 10 at " score" sc @ . ;
```

which ends the program by printing the score.

The game is quite simple to play. You are part of the Earth Defence Fleet when you come upon an armada of alien fighters. You have just 100 seconds (Galactic Seconds by the way) to destroy as many enemy fighters as possible.


The program is as complex as the limitations of memory allowed. The only possible way of stopping the program before the end is to lower your ship into the 'Input' line (so don't do it!).

Once you have ensured the program works properly, you can use the *Fast* command which almost doubles the speed of the game. A score of 1000 is very good (my record is 1060). As the manual states, *Fast* is very dangerous as errors tend to lead to crashes, so be careful.

This program should be *Saved* and *Verified* after the previous graphics program. To play the game, first *Load* and *Run* the graphics program (to get the user-defined characters) then rub out that program and *Load* and play the game.

## Possible problems

The most likely problem that will occur is missing-out/putting in a space where it should/should not be. If the Ace will not accept a word, then check to see if you have defined it (for example, it will not accept the word *Move* until *Up* and *Down* have been defined). The next most likely problem is running out of memory (until you get a 16K Ram pack fitted). This is caused by the dictionary being either too large (which can only be cured by *Forgetting* words) or by improperly defining a word so that it leaves unwanted numbers on the stack which will eventually fill up the memory.





# TASWORD

THE WORD PROCESSOR

48K  
SPECTRUM

*"Very good value and great fun to use."  
"Unreservedly recommended."*

Popular Computing Weekly 19.8.82 - ZX81 Tasword

Now your Spectrum becomes a word processor with TASWORD. All the features of the ZX81 Tasword plus many extras. Designed to fully utilise the capacity and capabilities of your 48K Spectrum. More than 6K of machine code, a Basic program, and a manual, to give you a usable and powerful package.

Use TASWORD to produce your letters, essays, papers, records, lists, and for almost any task that requires the written word.

Whether you have serious applications or simply want to learn about word processing, TASWORD makes it easy and enjoyable.

#### TASWORD TUTOR

*"an eloquent demonstration of Tasword's uses"*

We send you a manual and a cassette. The cassette contains TASWORD and TASWORD TUTOR. This teaches you word processing using TASWORD.

**£7.95** fully inclusive mail order price.

#### £1 DEMONSTRATION CASSETTE

See for yourself what TASWORD can do. Send just £1 for a demonstration cassette. This cassette contains the TASWORD program (with some facilities inhibited) and a text file which describes and demonstrates the performance and features of TASWORD. A voucher is included which gives you 50p off the price of Tasword.

#### TASMAN SOFTWARE

DEPT. PCWK

17 HARTLEY CRESCENT LEEDS LS6 2LL

#### ZX81 TASWORD

Tasword for the ZX81 (16K) is still available at £6.50. No demonstration cassette available but send 50p (refundable against your subsequent purchase of ZX81 Tasword) for a copy of the manual.

## DRAGON 32 SOFTWARE LIBRARY

● MEMBERSHIP FEE : £10.00

● HIRE FEE : £1.00 PER TAPE PER FORTNIGHT

Micro Care have an extensive range of tapes and cartridges, including Arcade-type games, educational programs, adventure games and utilities. Our aim is simply to be the biggest and best software library service catering exclusively for the Dragon 32.

If you request a program we don't have, and if we consider it suitable,  
**we will buy it!**

Send **£10.00** cheque or postal order for membership card, order form, Dragon Fact Sheet and discount offer of Micro Care products

## MICRO CARE

1 OAKWOOD ROAD, RODE HEATH, STOKE-ON-TRENT

Telephone (09363) 5695





## Extending capabilities

*This is the first extract from the new book, The Working Dragon 32, published by Sunshine Books Ltd. The book is a collection of subroutines built up into practical programs.*

In this extract, from Chapter 5, we turn our attention to an area where the machine's performance is somewhat lacking compared with some other popular micro-computers — the mixing of text (that is letters and numbers) and high resolution graphics on the screen at the same time.

Many of you may be aware that one solution to this irritating limitation is to use the flexible *Draw* command to literally 'draw' letters on the screen in the high resolution *Pmodes*. The real disadvantage of this method is the necessity to go through the painfully slow process of building up the fairly complex strings that will be drawn and writing them into each new program which requires some text.

In the two programs which follow we shall attempt to overcome this drawback by providing a simple method of creating the desired characters, of storing them for subsequent use and of compiling them into 'character sets' for subsequent use by other programs. In other words we shall attempt to substantially extend the Dragon's capabilities.

### Characters

The purpose of this program is to allow you to build up any character you wish which is capable of being fitted into an area on the screen of 32\*32 pixels. The actual size of the character when printed on the screen will depend upon the *Pmode* and the scale in use when it is *Drawn*.

### Module 1: Lines 1000-1130

The purpose of this module is to initialise the program variables and to set up an array which will be used later in the program to reduce the time taken to print a 32\*32 chequerboard design by use of *Get* and *Put*.

### Commentary

1030 Since we shall be working with strings we shall need to set aside more than the basic minimum of string space. The remaining commands merely set aside sufficient memory space to work in *Pmode 1* using the first colour set.

1060-1110 These lines initialise the *Draw* position to the top left hand corner of the screen and then *Draw* the first two lines of a chequerboard, one square at a time. You will note once again how a series of *Draw* commands placed on different lines are executed as if they were part of the same thing.

1120 The area of the screen *Drawn* upon is 128\*8 pixels and this rectangle is now stored in the array *C* using the *Get*

command. It would not be possible to store the whole 32\*32 matrix in such an array since even to store only 1/16th of it requires over 5000 bytes of memory. This heavy memory demand involved in the use of *Get* is the main drawback to an otherwise useful feature of the Dragon.

### Testing

The functions of the various arrays can only be checked later in the process of entering the program but at this stage the module should visibly draw the first two lines of a chequerboard on the screen and then clear the screen.

### Module 2: Lines 5000-5030

The sole purpose of this module is to define a short string which draws an inked-in square at an appropriate position in the array as defined by the variables *X* and *Y*.

### Commentary

5030 This line serves as useful reminder that the strings used to control the *Draw* command do not have to be cut and dried before running the program. All the string handling capabilities of the Dragon can be brought to bear. In this case, values for *X* and *Y* are inserted into the string using the *STR\$* function. The line is included as a separate one-line subroutine simply because it is called more than once in the program and it saves space if it is not spelt out in several places.

### Testing

The line can be tested after the entry of the next module.

### Module 3: Lines 2500-2570

This module places on the screen the

whole 32\*32 grid that will be used to define characters. When later modules have been entered it will also ink-in the squares which define a character.

### Commentary

2530 Using the array *C*, which holds two lines of the chequerboard design, this line prints the 32\*32 grid by *Putting* the contents of the array on to the screen in 16 consecutive locations. This is considerably faster than *Drawing* the grid.

2550-2570 Using two loops to increment the values of *X* and *Y*, the array *A* is examined to see if the array element corresponding with each element in the grid contains something other than a zero. If it does, then Module 2 is called up and the current values of *X* and *Y* incorporated into *D\$*, which then *Draws* an inked-in square at the appropriate point.

### Testing

The program should now be capable of placing the 32\*32 element grid on the screen, then stopping with the 'Return without Gosub' error. If you wish, you can feed some ones into the array *A* in direct mode, then *Goto* 2500. The corresponding squares on the grid should have been inked-in. Note that it takes time to examine the whole array — some 20 seconds — so that a pause does not mean that the program is malfunctioning. ■

*The Working Dragon 32*, by David Lawrence, costs £5.95 and will shortly be available from Sunshine Books Ltd., Hobhouse Court, 19 Whitcomb Street, London WC2 7HF.

### Module 1

```
1000 REM*****
1010 REM INITIALISE
1020 REM*****
1030 PMODE0,1:PCLR 2:CLR 1000:PMODE 1,1:SCREEN 1,0:PCLS4
1040 DIM A(31,31):DIM B(31,31)
1050 DIM C(127,7)
1060 DRAW "BM0,0"
1070 FOR I=1 TO 2
1080 FOR J=1 TO 16:DRAW "C1;R3;BR1;C2;R3;BR1":NEXT J
1090 DRAW "BM-128,+2":NEXT I
1100 FOR I=1 TO 2:FOR J=1 TO 16:DRAW "C2;R3;BR1;C1;R3;BR1":NEXT J
1110 DRAW "BM-128,+2":NEXT I
1120 GET (0,0)-(127,7):C
1130 PCLS4
```

### Module 2

```
5000 REM*****
5010 REM FUNCTIONAL SUBROUTINES
5020 REM*****
5030 LET D$="BM"+STR$(X)+","+STR$(Y)+":"+D3;R1;U3;R1;D3;R1;
    U3:RETURN
```

### Module 3

```
2500 REM*****
2510 REM DRAW GRID
2520 REM*****
2530 PCLS2:FOR I=0 TO 120 STEP 8:PUT (0,I)-(127,I+7):C:NEXT I
2540 DRAW "C1;BM128,0:D128;L128"
2550 FOR Y=0 TO 124 STEP 4:FOR X=0 TO 124 STEP 4
2560 IF A(Y/4,X/4)>0 THEN GOSUB 5030:DRAW "C0;"+D$
2570 NEXT X,Y:LET X=0:LET Y=0:RETURN
```



# Now we our sails advance

**Nick Wilson reveals a hidden function of the Spectrum's draw command.**

The draw command on the Spectrum has, so the manual informs us, two main functions:

- 1) To draw a line from A to B
- 2) To draw an arc from A to B

The first program, *Line Drawer* demonstrates the draw command. If the program is

broken into after several seconds' running, it produces figure 1. *Arc Drawer* produces a similar effect, but this time a random-lengthed arc has been projected from the centre of the screen.

*Super Drawer*, however, illustrates a hidden function of draw! I discovered this function quite by accident, by mis-typing and putting a four-figure number in the third parameter of the draw command — which produced a large thick circle.

I decided to experiment, and found that some very interesting patterns and circles could be produced at very high speed! The effect could only be produced 50 per cent of the time, as the entered number sometimes caused the line to be drawn off the screen, giving an error.

I have written a short program which chooses a random number and then draws a pattern accordingly. The error factor persists, but just type Run and Enter, and a new pattern whizzes up in front of you.

*Drawer Mk. 2* invites you to type in a number. The computer then draws the resulting shape. Try typing in some of the numbers from the examples.

I have tried to work out a formula to detect when a line will be drawn off the screen — so far without success. Perhaps someone else can come up with the answer?


Remember, you cannot break into the program when it is running because the computer does not check the keyboard while it is drawing.

## LINE DRAWER

```

1000 REM *****
1001 REM *** LINE DRAWER ***
1002 REM *** Nick Wilson ***
1003 REM *** © Copyright ***
1004 REM *** 1982 ***
1005 REM *****
1006 PLOT 0,0: DRAW AND#255,AND#
1007 GO TO 10

```




## ARC DRAWER

```

1000 REM *****
1001 REM *** ARC DRAWER ***
1002 REM *** Nick Wilson ***
1003 REM *** © Copyright ***
1004 REM *** 1982 ***
1005 REM *****
1006 PLOT 125,50: DRAW (RND#255)
1007 (RND#175)-50,RND
1008 GO TO 10

```



## SUPER DRAWER

```

1000 REM *****
1001 REM *** SUPER DRAWER ***
1002 REM *** Nick Wilson ***
1003 REM *** © Copyright ***
1004 REM *** 1982 ***
1005 REM *****
1006 LET a=RND#1000000
1007 PRINT AT 0,0:a
1008 PLOT 50,50: DRAW 50,50,a

```

## DRAWER MK. 2

```

1000 REM *****
1001 REM *** DRAWER MK.2 ***
1002 REM *** Nick Wilson ***
1003 REM *** © Copyright ***
1004 REM *** 1982 ***
1005 REM *****
1006 INPUT "Dearest "a
1007 PRINT AT 0,0:a
1008 PLOT 50,50: DRAW 50,50,a

```


50186.157



463607.79




79040.527



67321.777



866531.37



161041.26







## SHIFTING IN AND OUT AGAIN

*Yu Ting Man of Wellington Street, Kettering, Northants, writes:*

**A** I have just purchased a Seikosha GP-100 printer for my BBC model B. The printer's manual says that it can print double size characters, under software control, and also graphics. I do not know how to do these, because I do not understand the explanation of the commands from the manual. I would be very grateful if you could help me on this.

**A** You call the double size character routine by sending the appropriate code to the printer. In this case you want the Ascii code for *Shift In* which is 14. So you need the command *VDU 1,14*. To go back to normal printing you have to use the Ascii code for *Shift Out* which is 15. So the command is *VDU 1,15*.

The subject was covered by *Beebug* in their July 1982 issue. I suggest that you write to them at Dept 1, 374 Wandsworth Road, London SW8 4TE, for a back copy which will cost you 80p plus SAE.

## 2K RAM CHIP ADDS TO MEMORY

*F Chiltern of Nicholls Field, Harlow, Essex, writes:*

**Q** After using my firm's AIM 65 I decided to buy myself a ZX81. I am very pleased with it, but I would be grateful for a little help.

Is it possible to find out how much memory you have used, or how much you have left, while entering a program? Also, I have seen some 2K Ram chips for sale which, purportedly, give three to four times more memory. Could you explain this? I would like to fit a 2K chip, and then later a 16K

Ram pack, could I do this, and how much memory would I then have?

**A** Yes, it is possible to find out how much memory you have used or have left. To find out how much space a program takes up, use:

PRINT PEEK 16395 + 256 \* PEEK 16397 - 16509

To find how much you have left use:

PRINT PEEK 16386 - PEEK 16412 + 256 \* (PEEK 16387 - PEEK 16413) - 50

I do not quite see how a 2K Ram chip will give you three to four times more memory. A 2K Ram chip will give you just that, 2K Ram. But a greater proportion of the memory will be available because the ZX81 will always use 125 bytes for variables.

As for adding a 16K Ram pack later, as long as you do not actually damage the bus lines of the port when you put in your 2K chip, then you would have 18K of memory available. A 6116 2K chip, is the standard memory on the American version of the ZX81 (Timex 1000) and there have been no particular problems with adding a 16K Ram pack to these machines.

## MODIFICATIONS TO AMPLIFY

*D Hartley of Towers Way, Leeds, West Yorkshire, writes:*

**Q** How can I connect the speaker from an old radio to my Spectrum?

**A** I am not quite sure why you want to do this, though I would guess that you want to amplify the sound made by your onboard speaker. Amplify is the important word, because a larger speaker alone will not make the sound any louder. If you really want to make the sound louder then all I can suggest by way of a physical modification is that you take the speaker out and use longer leads going into your computer.

On some cassette players you can play the beep straight back through the recorder using the Mic lead and the normal volume control. Plug in the Mic lead from the computer to the cassette and, with no tape in the recorder, press the play button and turn up the sound (on some players you must press the record button).

## PUZZLED NO MORE

*Steve Hill of Windsor Road, Ilford, Essex, writes:*

**Q** In the Spectrum manual on page 185, are three ED prefixes that are puzzling me. The instruction in f,(c) was not available on the ZX81 and I cannot find it in any manual of machine code for the Z80.

The two instructions, 1d (NN), hl and 1d hl (NN) — codes 99 and 107 — seem to be duplicates of the un-prefixed instructions 34 and 42. The only information that I can get from Sinclair is the distinctly unhelpful comment, 'These are not printing errors'. Can you explain what has happened?

**A** Interesting indeed. The instruction f,(c) inputs into the flag register, and I can only assume that it is not listed because it was thought unnecessary. I have not been able to find it noted anywhere else.

If you lead BC with 65278 (which is part of the keyboard routine), push AF pop HL and in f(c) then push AF again followed by pop DE then the before and after results should appear in H and D.

The other two instructions would appear to be doing the same thing in two different ways, with 34 and 42 being shorter. It is nice to see a more thorough than usual list of instructions in a manual and I hope that other manufacturers take note. In situations like this last one, duplicated instructions are often left out, and only the shorter version is listed. I can see no reason to use the longer version in this case.

## SUBTITLING ON VIDEO FILMS

*Colin Hammerstone of Beavers Park, Coventry, writes:*

**Q** I would like to know whether it is possible to record sub-titles, that I have entered on my computer, on to some home movies that I have on video?

Is there anything about your computer you don't understand, and which everyone else seems to take for granted? Whatever your problem *Peek* it to Ian Beardsmore and every week he will *Poke* back as many answers as he can. The address is *Peek & Poke, PCW, Hobhouse Court, 19 Whitcomb Street, London WC2 7HF.*

**A** Yes it is possible, but it is not the easiest of things to do. You do not say what computer you have but the general principles are the same for all.

What you need is a video mixing console. This is a piece of circuitry that will allow you to mix two video signals — one from your movie and one from your computer. It works by taking the two signals, overlaying the one for the screen with the one for the titles, and sending the mixed signal to the modulator for displaying on your television set.

I do not know of any commercially available machines for this, though I believe that there have been some units designed by amateurs that work quite well with specific computers.

## CONVERSION BY DIGITAL TRACER

*Louise Harvey of Stockton-on-Tees, writes:*

**Q** I have got a Spectrum and I am quite pleased with it. My main interest is drawing such things as maps and diagrams. I have been told that there is a machine which will convert a drawing to a computer picture by just following the outline with a special pen. Is this true? If so, how much will it cost? I know things like this are available for big computers, but what about the Spectrum?

**A** You are correct. This is not the sort of thing that one would automatically expect to be available for a home computer, but I think you have in mind the 'RD Digital Tracer'. It can be used to trace an image, which can then be stored in the display file, on tape, or transferred to a printer. It can also be used with the ZX81, though without the colour and high-res graphics.

The Digital Tracer costs £49.95 and is available from RD Laboratories, 5 Kennedy Road, Dane End, Ware, Herts SG12.



# CLASSIFIED

Semi-display — £5 per single cc  
Trade lineage — 20p per word  
Private lineage — 10p per word

## DRAGON 32 SOFTWARE

Quality software at sensible prices

Gamestape 1	£1.95
Caterpillar + Space Attack	£2.95
Meteor Run + Breakout	£3.95
Haunted House	£3.95
Forbidden City (adventure)	£4.95
Goblin Caves (3-D graphics)	£4.95
Golf (hi-res graphics)	£4.95
Island Adventure	£3.95

All prices include p&p  
Send s&e for complete list

**APEX TRADING LTD (PCW)**  
115 Crescent Drive South  
Brighton BN2 6SB  
Tel: Brighton (0273) 36894  
Access/Barclaycard accepted

## BBC MODEL A/B SOFTWARE

**"A FIRST BOOK OF MICRO-RHYMES"**

5 Nursery Rhymes with tunes, moving pictures and sound effects, £4.95 (inc).  
Peter Gordon, 20 Despard Road,  
London N19.

## DRAGON 32 AND SHARP SOFTWARE

Games Pack 1 — Bowling, UFO, Muncher, Micropoly, Mastermind ..... £6.50  
Games Pack 2 — Race-Chase, Depth Charge, Motor Cross, Glorious 12th, Canyon Bomber ..... £6.50  
Games Pack 3 — Tank Battle, Reaction Time, Blind Maze, One Man and His Dog, Life ..... £6.50  
Games Pack 4 — Poker, Pontoon, Roulette, Stock Broker, Othello (Sharp only) ..... £6.50  
Devils Triangle — Adventure — Sail to Bermuda but avoid the Devils Triangle where anything can happen ..... £5.00  
Earth Rescue — Adventure — Search for a rare mineral needed for Earth's survival — space action ..... £5.00  
Maths Tutor — A set of programmes designed to teach maths to children from 3-10 years old ..... £5.00  
Many other programmes available. SAE for details.  
Dragon and Oric programmes wanted.  
Generous royalties paid.  
Send cheque/PO or SAE for details to: **Abacus Software, 20 Rhosleigh Avenue, Sharples Park, Bolton BL1 6PP**

**SWAP** your unwanted software via Software Exchange Club. SAE for details. UKSEC, 15 Tunwell Greave, Sheffield, S5 9GB.

**COMMODORE 64**, joystick, technical information sheet, all for £370. Phone D. Scott, 01-673 0219.

**DRAGON ACCOUNTING SYSTEM.** Includes trial balance, P&L account, a/c code enquiry (max. 300 accounts) etc., only £4 from Nigel Bradder, 72 Berry Hill Lane, Mansfield, Notts.

New book for Spectrum

## THE WORKING SPECTRUM

A LIBRARY OF PRACTICAL SUBROUTINES AND PROGRAMS



DAVID LAWRENCE

Published in association with *Popular Computing Weekly*. 228 pages Over 150 subroutines and programs.

Send cheques/postal orders, for £5.95, to **The Working Spectrum, Sunshine Books Ltd., Hobhouse Court, 19 Whitcomb Street, London WC2 7HF**

We can normally deliver in four to five days.

## ELINCA PRODUCTS LTD

Manufacturers of Computer Hardware and Software

### HARDWARE

- **ADPROM 4000.** A business and games card system.
- **CPROM Cards.** User programmable 2K or 4K semi-permanent memory with battery back-up. Use with ADPROM 4000.
- **Computapemaster.** Saves a load of trouble.
- **Console Cases.** For the Acorn Atom and others.

### SOFTWARE FOR THE ACORN ATOM

- **Arleño.** (Also called Reversi). An excellent game for the thinker ..... £4.95
  - **Graphic Define.** Lets you define your own characters, rockets etc ..... £6.95
  - **Business Tableau.** Takes out all the tedium of printing orders, quotes, invoices and statements ..... £15.50
  - **Cost Analysis.** Will analyse your monthly inputs/outgoings etc (with manual) ..... £12.95
- For full details and prices send A5 SAE to:  
**Lyon Works, Capel Street, Sheffield S6 2HL**

**PRE-SCHOOL** educational software for Vic20 with expander cartridge, picture alphabet, counting, odd man out, simple addition and subtraction, complete cassette £4. Ramrod, Neresforde, Skelding, Grantley, Ripon, Yorkshire.

**ZX SPECTRUM 16/48K** arcade games, Asteroids, Galaxy Wars, Tank Shoot, Tank Fight, Camel plus clock on one cassette with hi-score, colour, sound, USR graphics for £3 inclusive. Cheques payable to Allan Morton, 16 Ben Ledi Road, Kirkcaldy, Fife.

## BEST OF POPULAR Computing WEEKLY



Four top games on one cassette for £4.45.  
Laserchase and Kong's Revenge for the 16K ZX Spectrum.  
Robot Control (16K) and Alien Attack (1K) for the ZX81.

Order now from **Popular Computing Weekly, Hobhouse Court, 19 Whitcomb Street, London WC2 7HF**.

We can normally deliver in four to five days.

## SPECTRUM

We stock Software from many of the Leading Software Houses saving you time and money

### INTRODUCTORY OFFER

5% off all orders received before 28th February. Examples of our discounted prices:

**The Hobbit** £14.20  
**Pimania** £9.50  
**Penetrator/Timegate** £6.60  
**Orbiter/Ground Attack/Inheritance/Gt Britain Ltd/Gulpmann/Nightlife** £5.65  
**Escape/3D Tunnel** £4.70  
Send SAE for price list or  
Phone for details:

### IVYSOFT

91 Cleave Drive, Ivybridge, Devon  
(07554) 4088

★ **48K SPECTRUM STARTREK II** ★  
Speed around the galaxy destroying the attacking alien fleets in this fantastic game; it's absorbingly realistic — not only must you save mankind, but control your spaceship effectively!

**LOOK:** machine routines: great sounds, dazzling effects, 3D combat, real-time docking (skillful), on-board computer; hi-res damage reports, energy allocation, etc. 10 levels (easy to learn impossible). Free Battle Manual. Speedy delivery for just £8.00 from  
**SONIC SOFTWARE**  
9 Benscliffe Drive, Loughborough, Leics.

**PI-LAND MAPS**, only £2 each. Cheque/PO to R. Carresi, 37 Jubilee Road, Aldershot, GU11 3QE.

**PERSONAL COMPUTERS** bought for cash. Morgan Camera Co., 160 Tottenham Court Road, London W1, 01-388 2562.

## SPECTRUM ASSEMBLER

Enter the world of the Z-80! Full 2-pass assembler with labels — all opcodes — 11 powerful directives — easy program editing — 16/48K — manual. Written and tested by professionals. £5.95. Cheque/PO to C. Newport, 57 Camlet Way, Hadley Wood, Herts

## DRAGON 32 SOFTWARE

—THE BEST VALUE ON THE MARKET  
**FAMILY PROGRAMS:** Eight full-length games, utility and educational programs  
**FUN AND GAMES:** Ten exciting games for young and old, solo or groups  
£6 for each cassette, £10 for the pair  
GENEROUS DEALER DISCOUNTS  
Send cheque/P.O. to **Shards Software, 10 Park Vale Court, Vine Way, Brentwood, Essex, CM14 4UR**.


## ZX81 INVADERS

in machine code  
**GALAXY INVADERS** (4K Ram) ..... £4.00  
**SUPER INVADERS** (16K Ram) ..... £4.95

(includes animated instructions, league table of hi-scores, etc.)  
"Deservedly popular... excellent"

Popular Computing Weekly  
Highest total score of 14 games reviewed in Your Computer for May 1982

"The best on the market" S.C. Beds.  
"Great game!" S.F. Glos.  
All-inclusive prices  
Sent promptly by first-class post  
Full money-back guarantee  
**BRIDGE SOFTWARE, Dept. Pop 8**  
36 Fernwood, Marple Bridge  
Stockport, Cheshire SK6 5BE



## Dragon Software!

**BARNISOFT**  
**32K STARTREK**

Save the Universe from the Invading Klingons, £6.50.

**Barnsoft, 48 Waverley Road, Portsmouth**

## DRAGON — 'G' SOFT

Meet Merlin, use the Magic Shield, rescue damsels, try to win a kingdom in "KNIGHTS CASTLE". 9 levels of play + "SKI" for 1 to 8 players. BOTH for £4.95 post free from 2 Beaulieu Avenue, Fareham, Hants. PO16 9TS.

**DRAGON 32?** The Scottish Dragon Club welcomes new members. Send £8 for membership card, free games tape, newsletter, etc., to The Scottish Dragon Club, TF, 1 Walker Street, Edinburgh.

## DRAGON BYTE

HARDWARE, SOFTWARE AND BOARDGAMES

In Morley to serve West Yorkshire

SINCLAIR SPECIALISTS

But our range grows daily

If you feel like Interfacing with Live Ware (ie people) try our range of Board and Role playing games. For all ages

Ring Keith Nathan on (0532) 522690

or (0532) 788377 any evening after 7 pm

For more information and mail order details

51a Queens Street, Morley, West Yorks.

Manufacturers are invited to contact us

## ALL TAPES MAKERS ORIGINALS

## DRAGON 32 SOFTWARE

## HIRE

Realise the full potential of your Dragon by joining the Dragon's Den Software Library.

We currently hold almost every program tape written for the Dragon 32 Home Computer and will be adding new titles as they become available.

As a member you may hire up to two program tapes at any one time for just £1 each (plus 35p p/p) per fortnight, and benefit from user-group type buying power on hardware, books, etc; (details will be in the first edition of our news letter).

Membership of The Dragon's Den is open exclusively to Dragon Owners for just £8 per annum.

Please make cheques/PO payable to "The Dragon's Den" and enclose your name and address so that we can forward your library index, order forms and personal membership card.

## THE DRAGON'S DEN

83 NEVILLE ROAD, LIMBURY, LUTON, BEDS. LU3 2JG



**ZX SPECTRUM. MUSIC** using any notes, rests, range eight octaves, type in your music which is then graphically displayed in proper musical notation. At anytime plays all or part of your music and gives numerical readout for pitch and duration for use in your own programmes, includes full instructions. "Greensleeves" demonstration. Cassette £4.50 inclusive. Fast delivery. Send to Crownhouse, Ford, Argyll, Scotland.

**MZ-80A/K SOFTWARE.** Games, business, utility, educational. SAE for brochure, DCS, 38 South Parade, Bramhall, Stockport.

**DRAGON SOFTWARE.** Mazeman (... man) and Battleship, £4.25. Connekt 4 and Blockade £3.25. All four £6.00 (on cassette). CWO to A. Dowey, 29 Glenavon Crescent, Lorgan, Co Armagh, NI.

**SELL SPECTRUM SOFTWARE.** See advert for telespec telespec telespec.

**PUBLISHERS** would like to hear from readers with a view to publishing their programs for the Sinclair Spectrum in a forthcoming book. Reply to: The Editor, Castle House Publications Ltd, 27 London Road, Tunbridge Wells, Kent TN11 1BX.

**DRAGON 32 CASSETTE.** 10 programs, educational and games, suitable for any age. Send cheque or postal order for £5.50 to: Mr C. Currell, 21 Harford Road, Chingford, London E4 7NO.

**JUPITER ACETERIODS** and two maze games, with useful words for your own Forth programs. Move characters around screen, read from display file etc. £1 plus SAE for three listings. F. M. Collins, Sylvestris, Ham Lane, Elstead, Surrey GU8 6HG.

**VIC20.** Adventures, The Count, for any other Scott Adams cartridge games. Cartridges to swap/sell. Tel: (0532) 589465.

**48K SPECTRUM : TELESPEC.** TV viewing decision program. Input times and favourite show for each person. Telespec suggests optimum viewing. Send large SAE and £10 to Nick Pounder, 59 Hadrian Way, Sandiway CW8 2JT. You can copy for £1 royalty.

**DRAGON** wishes to exchange data with other Dragons. Adrian, 226 Epping Walk, Hulme, M15 6FP. (Enclose SAE for details).

**ZX81 16K.** 9 months guarantee, £40.00. Tapes, books cassette recorder £105.00 ono. Tel: Bourne End 29403.

**SPECTRUM.** Eliminate plug swapping when loading saving programs with an FED switching unit. £5.00. Brainwaves, 1 Stour Street, Manningtree, Essex.

**ZX81 SOFTWARE,** for use with QS character board. Send 30p for catalogue to: Mark Andrews, 44 Eaglesham Road, Newton Mearns, Glasgow.

**BBC SOFTWARE.** Professional quality wordpro: left/right, justify; condensed, emphasised printing, variable line length; insert, delete, replace, add, block/char, etc., £10. 3D landscape/space shuttle, superb 3D view of South Downs (Shoreham), 850 plotted points. Detailed scale view of the space shuttle. Both include variable scale, any area enlarged, print routine, £3. Add £3 for disc version. I. Pomeroy, 61 Firsby Avenue, Shirley, Croydon CR0 8TP.

**WORLD INFO,** a database of information about the modern world. Readers of newspapers, students and teachers of Current Affairs, International Relations and Modern Studies need it. Includes wars, areas of tension, top men, types of regime, alliances and much more. For ZX81. Full file on 32K; parts on 16K. Uses Campbell Systems THE FAST ONE. Spectrum version in preparation. £14 from Wimsoft, 20 Brookside Road, Wimborne, Dorset BH21 2BL.

**VIC20 OWNERS.** At last! All-action arcade games for the unexpanded Vic at low prices. Written entirely in m/c for exciting colour graphics, animation and sound. Super games cassette — three games on one cassette, Super Break-out, Galaxians and Scrambler. Full feature games with defined graphics, hi-score, free ships and bonus points. Only £4.95. Fast delivery. J. P. Shay, 51 Meadowcroft, Radcliffe, Manchester.

**SUPERB VIC SOFTWARE.** Jupiter Defender, m/c, upto +3K, £3.50. Cubed Tac Toe, +3K and +8K, £2.50. Juggernaut, +8K, £2.50. Character Design, any memory, £3. 9 games, +3K and +8K, £6. And more. Orders/SAE: C. P. White (Services), 76 Uxbridge Road, Hanwell, London W7 3SU.

**ZX81,** unexpanded, with video converter + mags, £30 ono.

**ATARI SOFTWARE. 16K.** Star Raiders £15. Caverns of Mars £14. Ghost Hunter £12. Rearguard £10. Excellent condition. Tel: Swanley 69281.

**TEXAS TI99/4A SOFTWARE** on tape. Send £1.95 for sample tape plus complete list. Apex Trading Ltd. (WT), 115 Crescent Drive South, Brighton, BN2 6SB.

## Computer Swap 01-930 3266

Free readers entries to buy or sell a computer.  
Ring 01-930 3266 and give us the details.

### Spectrums for sale

**SPECTRUM 48K,** £170. Tel: John Hasings 752 736 anytime.

**ZX SPECTRUM 48K,** with 2 games, all leads + manuals, etc., £160. Tel: 01-855 1402.

### ZX81s for sale

**ZX81,** £50. Tel: (Leics) 542632.

**ZX81 + 6K,** + 12in. monitor, keyboard, 4K graphic Rom, cassette player, software + books, purpose-built console, £120 ono. Milton Keynes (0908) 612697.

**ZX81 16K,** 3 cassettes + book, £59. Tel: Epsom 29765.

**ZX81, 16K,** leads, power pack + manual, still guaranteed, 5 games types, extra instruction book, £65. Tel: Atherton 874042.

**ZX81** with 16K Ram in excellent condition plus software £70.00 ono. Tel: New Milton (0425) 618200.

**ZX81, 16K.** Leads and manuals, books and software £50.00 ono. Tel: Luton (0582) 593088.

**ZX81 16K,** with microgen joystick, £70. Tel: 01-959 5964.

**ZX81 16K,** boxed with manual and leads, £70 worth of software including 3D Monster Maze and Flight Simulator and Black Crystal, £100 ono. Tel: 01-886 8036 after 6 pm, ask for Ronan O'Shea.

**ZX81, 16K Zxpanda Ram pack,** expandable to 32K, £40 worth of software including Chess. All leads and manual supplied, £70 ono. Tel: 0952 591049 after 4.30 pm.

**ZX81** with 16K RP, bought Sept + 3-4 tapes, £50. Tel: 0494 714270.

**16K ZX81,** leads etc, manual, cassette optional, £55. Selsey 602555.

**SINCLAIR ZX81,** 1K with typewriter keyboard, plus 3 16K software cassettes, all for £60. 15 Dawlish Crescent, Rayleigh, Essex.

**16K ZX81 + manuals,** Learning Laboratories, with 8 tapes, + 9 other tapes, including Flight Simulation + Scramble, cost around £140. Will sell for £70 cash, ono. Tel: 01-624 9143.

**ZX81 16K,** keyboard with software, all leads and manuals, £70 ono. Waterloo (07014) 67600 (eves).

**16K ZX81,** Sinclair built, + leads, + power pack, + manual, + 30 mags, green screen, 4 books, 1/2 print + plot pad + 12 cassettes, £60. Tel: Brookwood (04867) 81117.

**ZX81, 16K Rampack,** complete with leads and manual, + software, + mags, £50. Tel: Borden 5263.

**ZX80 4K + 8K Rom,** + 16K Ram, + leads, still in original packing, + 2 games tapes, + 2 manuals, £40 ono. Tel: Leicester (0533) 676920.

**1K ZX81,** 4 months old + mags + books, £35. Tel: Horncastle 7100 (evenings).

**ZX81, 16K Ram,** all leads + manual etc. 1 year old, £60. Tel: Basildon (0268) 42979.

### Acorns for sale

**6K ACORN ATOM,** PSU, all leads + some mags, £110 ono. Tel: Kettering (0536) 515025.

**ACORN ATOM.** As new, 8K Ram, 2K Rom, price negotiable. Tel: 01-938 1694. David.

**ACORN ATOM,** 6K Ram + Teleprinter (excludes interface) + some software + power supply + all leads, £125 ono. Tel: Gosport, Hants 80836.

**ACORN ATOM,** 12K, 16 Rom, floating point + toolbox, over £40 of software, cassette recorder, £120 ono. Tel: Craig, Ripley 872182.

**BBC MODEL B,** 1 month old, still under guarantee, £380. Including software. Tel: Swansea 474268.

**ACORN ATOM, 12K Ram + 12K** floating point Rom + psu + joysticks + 3 books + mags + over 30 programs on cassette, £160 ono. Tel: Maidstone 53748.

**ACORN ATOM, 12K RAM, 12K ROM** + floating point ROM, PSU + all leads, £75 of books + software, cost £260, will sell for £190 ono. Accrington, Lancs (0254) 394074.

**BBC MICRO,** Model B, with cassette and joysticks + £80 of software and GP100 printer. All in mint condition, £500 (no offers). Tel: 01-958 2715 (Edgware).

**ACORN ATOM 12K ROM, 12K Ram,** floating point VIA toolbox, power supply unit, many programs on cassette + manuals, £175. Tel: 0792 791921 (evenings).

**ACORN ATOM 12K Ram, 16K Rom,** inc Word Processor Rom, + books, + software, £150 ono. Tel: 01-573 0884.

**BBC MICRO,** Model B, plus lots of software, including Pacman, Chess with 1,000 levels, Swoop and Invaders, £390. Tel: 0632 737654 Newcastle.

**BBC MODEL B,** scarcely used (No. 2 arrived before I could cancel), £380 ono, immediate delivery with s/ware, excellent language for professional. Tel: Chiddingfold (082583) 450.

**BBC COMPUTER MODEL A, 32K,** little used, inc software, etc, £299. Tel: Hull 849517.

**BBC MODEL B,** with disc interface, + joysticks, + dust cover, + graphic pads, + Acorn software programs, + program power, + leads, + lots of software. Cost £760 want only £530 ono. Tel: 01-607 5561.

**ACORN ATOM,** Acorn built, 12K + 12K, floating point, VIA, power supply, manual, leads, + £30 of software, £175. Tel: 01-904 9210.

### Tandys for sale

**SHARP MZ80K.** 48K, dust cover, lots of software, immaculate condition, £130.00 ono. Tel: 0375 676 993 (Stanford-le-Hope).

**SHARP M280K,** 48K Basic, £325. Tel: Cheltenham 41757.

**TANDY TRS 80 PC TC 1** with printer and microcassette recorder with carrying case and books, £70 or Matel Invoice. Tel: 031-442 4187 after 5 pm.

**SHARP PC1211** with cassette interface, £40.00. Tel: 01-863 1876.

**MZ80K,** 48K plus 2 Pascals, 3 fourths, 2 assemblers, Fortran, 4 basics and loads of games, £300.00. Tel: Doncaster 874977.

**TANDY COLOUR BASIC,** 16K Ram with cassette deck, 1 Rom pack and 3 games cassettes, plus three books, worth £330, will accept £190. Waltham Cross 23963 after 4 pm.

**TRS 80,** Model I, Level II, 16K, £179; Novex green phosphor monitor, 12mz, cost £125, sell £85. Both 3 weeks old, still boxed. Tel: Newcastle (0632) 814215.

### Commodores for sale

**PET 4016,** 16K, with cassette, + built-in sound box, £400 ono. Tel: Wigan 47574.

**COMMODORE PET 2001,** 32K, large keyboard, £295. Pet 2040 Dual Disc Drive, also £295. Pet 2023 Printer, £250. Tel: Bracknell (0344) 84423.

**VIC 20 + CZN** cassette unit, 3K super expander, joystick + tapes, £200 ono. Tel: 01-958 6769.

**VIC20,** cassette recorder, 3K super expander cartridge, joysticks, Pacman cartridge, lots of cassette s/ware, 2 books, all excellent condition, offers to Roger, tel: 01-866 5135.

**VIC20,** + cassette unit, Joystick, 2 games cartridges, books, + other software, £150 ono. Tel: Batley 475851.

**VIC20** plus cassette unit, mint condition, in original box, only 2 months old, also joystick, plus £45 of software (Scramble, Vicmen, Asteroids) etc, worth £230.00 will accept £150.00. Tel: Limmington (0590) 73788.

**VIC20.** Cassette recorder, 4 cartridges including Jelly Monsters, 2 adventures, Sargon II Chess cartridge, plus £50.00 of cassette software, £200.00 ono. Tel: Runcorn 67313.



**16K VIC RAMPACK**, £45.00. Tel: Boston 67208.

**VIC20**. Still guaranteed, plus cassette unit, programs, Aid, super expander, Voodoo Castle, light pen, reference manual and software including Frogger, Blitz, Amok index, £300.00. Tel: Robert 01-455 1132 after 6 pm.

**VIC20** with cassette recorder and 16K cartridge, only 3 months old, £170.00 ono. Tel: 0206 74684.

**PET 2001**. Cassette recorder, Trendcom printer and manual, plus 5 rolls of black imerge paper, £300.00. Tel: 021-454 9970.

**VIC20 COMPUTER**. C2N tape deck, super expander (+3K), many Bugbyte and Rabbit cassettes and other tapes, Vic revealed, PRG and other books, many cartridges, worth £475 accept £300.00 ono. Tel: Bruce, Aldershot 29509.

**PET 2001**. 8K, small keyboard and integral cassette, £195.00. Tel: 01-451 0520.

**VIC20**. 16K Ram pack, £300 of software, value £530 want only £300.00. Tel: Amit. 01-888 0510.

### Ataris for sale

**ATARI VCS**, excellent condition, inc pedals, joysticks + combat + laser-glassed cassettes, £70 ono. Tel: 0767-312948.

**ATARI VCS** + 17 cartridges, including keyboards, £200 ono. Tel: work 01-580 4741 ext 82 Mr King 9.30—5 pm; home Tunbridge Wells 29157 after 7 pm.

**ATARI VCS**, complete with controllers + 3 cartridges inc Combat, Maze Craze + Space Invaders, excellent condition, hardly used, £80 ono. Tel: 01-527 1885.

**ATARI 400**, 32K inc program recorder + several tape games, mint condition, £275. Tel: 041-959 4455.

**ATARI GAME CARTRIDGE**. All in very good condition, Asteroids, £15, Breakout £10, Missile Command £12, Athello £12, Space Invaders £14, Video Chess £15. Tel: 0603 712320 after 6 pm.

**ATARI VCS** plus two cartridges, £50.00. 60 VCS games, any offers? Tel: 589 5886.

**ATARI VCS** plus Combat, Space Invaders and Defenders. As new in original packing, mint condition, only 2 months old, £100.00 ono. Tel: 041-632 9716.

**ATARI 400/800**. Software, Scram and Stats 1, brand new, unused, will swap for one or two Atari VCS cartridges. Doug Richardson. Tel: 01-878 6936 evenings.

### For sale

**PROGRAMMERS' TOOLBOX** for Atom + some software, £17 ono for toolbox, £15 for software. Daljit 01-575 5771.

**SWAP VIC20 ADVENTURELAND CARTRIDGE** for any other in series. Tel: 0480 56645 evenings or weekends.

**PHILIPS G7000 CASSETTES**. 19 cassettes, including Billiards, Asteroids, Othello + AC Battle. Price negotiable. Phone Karim between 6 pm to 9 pm. Tel: 01-387 8751. NW1.

**DRAGON 32**, boxed, as new, £179. Tel: 01-661 1466.

**ADVENTURELAND**, Commodore Adventure cartridge now solved and unwanted. Will swap for Pirate Cove or for Voodoo Castle. Tel: 01-673 5819 after 5 pm.

**SWAP VIC20** Alien cartridge for Jelly Monsters or any adventure plus cash adjustment. Tel: 0723 70023.

**INTRODUCTION TO BASIC PART 2** for Vic20, unused, £10. Tel: 0244 300437.

**DRAGON 32**, with utilities cassette, 2 months old, still under guarantee. £175 ono. Tel: 0705 756068.

**FOR ZX SPECTRUM**. £45.00 will buy a printer and 3 rolls of paper, telephone 82 unit and software, value £97.00. Tel: 061-432 2752.

**VIC20 GAMES** for exchange. For sale: Interton tote game with 9 cartridges, £100.00 ono. Tel: Peter on 01-942 0808.

**SWAP DRAGON 32** for 48K Spectrum plus software or cash adjustment. Tel: 01-304 3659.

**SWAP** Mission Impossible and Adventure Land for other Vic20 cartridge adventures. Tel: Windsor 65866.

**ADVENTURE GAME**. Mission Asteroids, Dos, 3.3 disc drive, plus Apple II computer, £10.00. Tel: Pontyodkin 770233.

**DISC DRIVE** for Acorn Atom, 2 months old, £200.00. Tel: Sandy 80126.

**64K MEMOTECH RAM PACK** plus ZX81, both 3 months old, perfect condition, boxed, cost £130+ will sell memory separately. Offers to Tel: Stranraer (0776) 2048.

**VIC20**, to swap Amok Space Storm + Alien Blitz, for any other cassettes. Tel: Bedford 66010.

**VIC20** super expander cartridge, £20.00. Tel: (Yateley) 0252 875810.

**SWAP VIC** game cartridge. Tel: 08956 30564 Joel.

**HOW TO PROGRAMME THE ZX81** (with cassette). Also training manual and work book, £7.00. Tel: 554 6389.

**MATEL INTELVISION** plus nine games, £150.00 ono. Tel: 0227 711125.

**3K RAM PACK** for Vic20, £18.00 ono. Tel: 554 0287 (Ilford).

**NASCOM II**. 32K Ram, Nassys 3, Zeap 2, graphics, Nas-dis, debug, DCS, DOS, tool kit, basic, sound chip, much software including BLS Cascal, Cargon Chess, Wordease etc, £340.00. Disc drive £70.00. Tel: 01-953 6100 ext 2427, Mr Bell office hours.

**SWAP VOODOO CASTLE** for any other Commodore adventure. Tel: Sheffield 582322.

**SWAP INTELLIVISION GOLF** for any other Intellivision cartridge or sell £10.00. Tel: 0703 785699.

**ZX PRINTER** and 5 rolls paper, £55. 01-870 1002 evenings.

**SHARP MZ80A** and software, £435.00 ono. Tel: 01-534 5577 ext 257 Mr Sofar.

**SHARP MZ80K**. 48K, plus £250 of software including Fortran, Xtal, Basic, Zen, Chess, Adventurers etc, dustcover, green screen, books service manual etc, £390.00. Tel: 061-799 4382.

### Wanted

**WANTED**: Invoicing program for 32K ZX81 with 80 column printer + Memotech IF, top price paid. Details to Mr Cunningham, Dundee 22184.

**WANTED**: Cassette software for Atari 800, 32K. Tel: Gloucester (0452) 35584 anytime.

**WANTED** 16K ZX81, 6 x 3 snooker table, balls and four cues. Tel: 0254 888341.

**BBC**, 32K. Please tel Tony 01-452 6724.

## THE WORKING SPECTRUM

A LIBRARY OF PRACTICAL SUBROUTINES AND PROGRAMS



DAVID LAWRENCE

The Working Spectrum is the first well-documented collection of serious programs for the ZX Spectrum.

The programs include a Basic Renumber which can handle Gotos and Gosubs. You will read in other books that this can't be done. We prove it can.

With some of the other programs you can define your own characters, store them in a dictionary, design geometric shapes without using maths, draw pictures for use in other programs and recall them at will, draw different graphs from the same subroutines, create a file-handling program for up to 28,000 characters, create a data-base handling program, learn how to sort your data, learn how to touch-type, handle your accounts and play sophisticated games such as Missile and Tracker.

Each program is explained in detail, line by line. And each of the programs is built up out of general purpose subroutines which, once understood, can form the basis of any other programs you need to write.

Advanced programming techniques spring out of the discussions explaining each subroutine. The result is not only to advance your programming skills but also to leave you with a wide range of practical application programs which might otherwise only be available to those prepared to buy cassettes or those capable of writing substantial programs for themselves.

Expert or novice — whatever your experience, you will find this the most useful and valuable book for the Spectrum.

228 pages. Over 150 separate subroutines and programs.

Also available through your local computer bookshop

Please send me a copy of The Working Spectrum.  
I enclose a cheque/postal order for £5.95.

Name .....

Address .....

Signed .....

Please make your cheques payable to Sunshine Books Ltd.

Please send your order to The Working Spectrum, Sunshine Books Ltd, Hobhouse Court, 19 Whitcomb Street, London WC2 7HF.

We can normally deliver within four to five days.



## Ziggurat



## Baby Crocodiles

This month sees the 151st anniversary of the birth of Charles Lutwidge Dodgson, alias Lewis Carroll.

Apart from writing such famous books as the Alice adventures, Lewis Carroll was a respected mathematician and logician, responsible for many serious works.

Carroll's book *Symbolic Logic* (1895) is a classic use of humour to an erudite end — see *Lewis Carroll: Complete works*, The Nonesuch Press.

His first example is

1. Babies are illogical;
2. Nobody is despised who can manage a crocodile;
3. Illogical persons are despised.

One has to deduce from these three axioms a logical conclusion which is itself novel. That is, to conclude that some illogical persons are babies, is not novel as it is (1) "turned around". I will give the deduction later.

Anyone who wishes to program a computer needs to be able to solve problems such as the above because most programs (apart from the trivial) need to use methods to control their flow. The methods used depend partly upon the language, but mostly upon the ability of the programmer to analyse the logical structures within a program.

One interesting question is therefore: How can one learn to use complex logical structures with ease?

The recommended method (i.e. that method

recommended by computer science academics) is to teach a structured language. The pupils are taught how to construct the correct shapes. This is why languages such as Pascal are so popular with academics. Pascal will not allow you to do certain silly things, though — I have discovered — it has other faults which then produce strange programming styles.

The most powerful approach concentrates on the person not the language. Structure is believed to come from the individual, and thus there is no reason why a well-designed program cannot be written in any language. A truly proficient programmer is never constrained by any particular language to write a poor program. This approach stresses the importance of training the mind. A well-trained mind is not one which follows strict rules of program design without deviation — yet some computer science students are taught that there is only one way to program: The Jackson Method!

In order to create programs with style (and style implies good design), one needs to be able to think.

There are courses in Computer Studies at many levels from secondary to degree. Most of these courses are not in programming as such — though it must play a part — but rather concentrate on the hardware of the computer, and its implications. Unfortunately, given my own knowledge of the syllabuses and examination papers, the teaching of the programming aspects seems to be rule-bound, in that it is implied that the effects are known, and are predictable.

In one 'O' Level Computer Studies paper there was a question "In many industries the introduction of computers has caused or is causing serious social problems ... Suggest ways in which the problems arising from continuous production, loss of job satisfaction and retraining might be overcome." If you can answer this I suggest you send your solution to the Government.

To prepare a person for a career in computing, I would suggest reading Lewis Carroll rather than a course in Computer Studies: Babies cannot manage crocodiles.

Boris Allan

## Puzzle

### It was long ago



#### Puzzle No 39

Down at the zoo there was an Old Giant South American Tortoise called José. He had been at the zoo for as long as anyone could remember. The head keeper, Reardon, remarked on his 33rd birthday that José had been there when he had started work at 16.

In order to raise funds for a new Snake House the zoo organised a competition based on the age of this large creature: the product of José's age and that of his younger companion, Felipe, was just one less than the square of the difference of their ages. How old was the Old Giant South American Tortoise?

What the organisers failed to realise was that the correct ages were given by the second highest possible solution, and that assuming Reardon's memory served him right.

How old was José, the Old Giant South American Tortoise? And how old was Felipe?

#### Solution to Puzzle No 34

A triangular grid with 66 tiers contains 74,613 triangles, and a square grid with 76 squares along the side will contain 149,226 squares — that is twice the number of triangles in the triangular grid. This is the smallest answer:

10 LET N = 1; 20 LET T = INT (N \* (N + 2) \* (2 \* N + 1) / 8); 30 LET M = 1; 40 LET S = M \* (M + 1) \* (2 \* M + 1) / 6; 50 IF S = 2 \* T THEN PRINT N; "T"; "M"; "S"; 60 IF S = 2 \* T THEN STOP; 70 IF S > 2 \* T THEN GOTO 90; 80 LET M = M + 1; 85 GO TO 40; 90 LET N = N + 1; 100 GOTO 20.

#### Winner of Puzzle No 34

The winner is: Mark Purcell, Wordsworth Drive, Bletchley, Milton Keynes, who receives £10.

## Top 10

- Atari**
- 1(2) Sea Dragon (Adventure International)
  - 2(3) Air Strike (English Software)
  - 3(5) Astro Chase (First Star Software)†
  - 4(7) Stratos (Adventure International)
  - 5(4) Submarine Commander (Thorn EMI)\*
  - 6(-) Helicat Ace (Microprose Software)‡
  - 7(-) Jumbo Jet Pilot (Thorn EMI)\*
  - 8(-) Centipede (Atari)\*
  - 9(1) Preppie (Adventure International)
  - 10(-) Missile Command (Atari)\*

\*Cartridge. ‡32K cassette. †48K disc.  
(Figures compiled by Calisto Computers, Birmingham 021-632 6458)

- Spectrum**
- 1(1) The Hobbit (Melbourne House)\*
  - 2(2) Penetrator (Melbourne House)\*
  - 3(4) Black Crystal (Carnell Software)\*
  - 4(3) Orbiter (Silversoft)
  - 5(7) Escape (New Generation)
  - 6(9) Night Flight (Hewson)
  - 7(-) Space Intruders (Quicksilver)
  - 8(-) Gulpman (Campbell Systems)
  - 9(8) Football Manager (Addictive Games)
  - 10(-) Avenger (Abacus Software)

\*Requires 48K.  
(Figures supplied by Buffer Micro Shop, London 01-769 2887)

- Books**
- 1(3) Spectrum Machine Language for the Absolute Beginner, Tang (Melbourne House)
  - 2(6) Vic20 Programmers Reference Guide, Finkel (Commodore)
  - 3(7) Assembly Language Programming for the BBC Micro, Birnbaum (Macmillan)
  - 4(9) Discover Forth, Hogan (Osbourne)
  - 5(-) Illustrating Basic, Alcock (Cambridge University Press)
  - 6(2) Spectrum Book of Games, James et al. (Granada)
  - 7(-) 6502 Assembly Language Programming, Leventhal (Osbourne)
  - 8(-) The Working Spectrum, Lawrence (Sunshine Books)
  - 9(4) Programming the 6502, Zaks (Sybex)
  - 10(-) Spectrum Graphics, Hampshire (Duckworth)

(Figures compiled by Watford Technical Books, Watford 0923 23324)  
(Last week's position in brackets)

- ZX81\***
- 1(1) Black Crystal (Carnell Software)
  - 2(-) Avenger (Abacus Software)
  - 3(2) Gauntlet (Colourmatic)
  - 4(9) Frogger (DJL Software)
  - 5(7) Flight Simulation (Psion)
  - 6(-) Winged Avenger (Workforce)
  - 7(4) Gulp II (Campbell Systems)
  - 8(6) Espionage Island (Artic)
  - 9(3) 3D Defender (JK Greye)
  - 10(8) 3D Monster Maze (JK Greye)


\*All 16K.  
(Figures supplied by Buffer Micro Shop, London 01-769 2887)

- Vic20**
- 1(2) Jellymonsters (Commodore)\*
  - 2(-) Omega Race (Commodore)\*
  - 3(-) Martian Raider (Romik)
  - 4(5) Grid Runner (Llamasoft)
  - 5(1) Traxx (Llamasoft)†
  - 6(6) Blitz (Commodore)
  - 7(3) Andes Attack (Defenda) (Llamasoft)†
  - 8(7) Abductor (Llamasoft)
  - 9(-) Hopper (Rabbit)
  - 10(8) Myriad (Rabbit)

\*Cartridge. †Requires 8K or 16K.  
(Figures compiled by the Vic Centre, London 01-922 9904)

## LOSERS

No Court in the land  
would give Custody of  
the kids to a  
Crummy box  
of tricks...



unbeatable program  
No. 7. NASTY DIVORCES.



THE FLEXIBLE COMPUTER SYSTEM FOR THE FUTURE

# ORIC 1

## CREATED BY

# TANGERINE

How can Tangerine promise you a professional computer for only £99.95? Because, unlike most computer builders, we have designed the U.L.A. ourselves.

This makes the ORIC-1 substantially more reliable and versatile to work with and what's more, at £99.95, you get a professional system well below the price of

all leading manufacturers.

We can give you prompt service, quality, reliability and full technical backup. The ORIC Computer System will guarantee you that and more:

- 8 colour graphic display (8 foreground + 8 background)
- 40 character by 28 line colour text display
- High resolution graphics (240/200 pixels) 240 across screen, 200 down
- 96 User defined graphics symbols
- Microsoft BASIC software
- 6 octaves of music with Hi-Fi output and 4 preset sound effects - Shoot, Explode, Ping, Zap
- Centronics printer interface (compatible with a whole range of standard printers)
- Optional Communications Modem (allowing access to 200,000 pages of Prestel and direct link with other computers)
- Typewriter style keyboard
- Professionally written user manual by well-known computer authors
- Oric Owner Magazine included with each ORIC 1 purchased
- Tan-Forth supplied free with every mail order 48K Model
- Extended Basic (BBC etc) available soon
- Full range of business and leisure software coming shortly.



**ONLY  
£99.95 (inc. VAT)  
FOR 16K RAM  
VERSION**

(Please allow 28 days for delivery) Subject to availabilities.

**Order your ORIC-1 direct from the designers**

BY POST: You can pay by cheque, postal order, ACCESS - BARCLAYCARD-VISA

BY PHONE: Just ring our telesales number ELY (0353) 2271/2/3/4

Please delete/complete as applicable.  
\*I enclose a cheque/p.o. payable to TANGERINE  
COMPUTER SYSTEMS LTD. For £  
Please charge my Access, Barclaycard, Visa No.

Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_

If you require a VAT receipt please tick ☐

Please send me a full colour brochure ☐

TANGERINE COMPUTER SYSTEMS LTD. 3 Club Mews, Ely Cambs CB7 4NW

Item	Qty	Price Inc. VAT	Total
ORIC-1 16K RAM		£99.95	
ORIC-1 48K RAM		£169.95	
ORIC Communications Modem		£79.00	
ORIC Owner Magazine (Bi-monthly)		£10.00	
Postage and packing		£5.95	
			<b>TOTAL £</b>